

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 1

Compilation date: 23/10/2018

Revision date: 01/11/2019

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Y 12216 FASTFOAM

Product code: Y12216

Synonyms: ANG50610, ANG50740

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: ANGELWAX LTD
UNIT G
MEADOWSIDE STREET
RENFREW
RENFREWSHIRE
PA4 8SR
UK

Tel: +44 (0)141 886 6732

Fax: +44 (0)141 886 6733

Email: info@angelwax.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)7775 645592, +44 (0)7879 690508

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Corr. 1C: H314

Most important adverse effects: Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 2

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P260: Do not breathe mist/spray.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

INTER 101

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	-	-	Eye Irrit. 2: H319	10-30%

FOAM BOOST 230

-	-	-	-	10-30%
---	---	---	---	--------

ANGELAMIDE

-	68603429	-	Eye Dam. 1: H318; Skin Irrit. 2: H315; Aquatic Chronic 2: H411	1-10%
---	----------	---	--	-------

ANGELADD 91/8

-	-	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
---	---	---	--------------------------------------	-------

ANGELADD 2

-	-	-	Eye Dam. 1: H318; Aquatic Chronic 2: H411	1-10%
---	---	---	---	-------

Section 4: First aid measures

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 3

4.1. Description of first aid measures

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

- Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
- Eye contact:** Corneal burns may occur. May cause permanent damage.
- Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 4

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 5

Hazardous ingredients:

ANGELAMIDE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	NOT AVAILABLE	-	-	-

ANGELADD 91/8

UK	-	-	NONE	ESTABLISHED
----	---	---	------	-------------

DNEL/PNEC Values

Hazardous ingredients:

ANGELAMIDE

Type	Exposure	Value	Population	Effect
DNEL	Dermal	4.16 mg/kg/day	Workers	Local
DNEL	Inhalation	73.4 mg/m ³	Workers	Systemic
DNEL	Dermal	0.09 mg/cm ²	Workers	Local
DNEL	Inhalation	21.73 mg/m ³	General Population	Systemic
DNEL	Dermal	2.5 mg/kg/day	General Population	Systemic
DNEL	Oral	6.25 mg/kg/day	General Population	Systemic
DNEL	Dermal	0.056 mg/cm ²	General Population	Local
PNEC	WATER	-	-	-
PNEC	Fresh water	7 ug/l	-	-
PNEC	Marine water	0.7 ug/l	-	-
PNEC	Intermittent	24 ug/l	-	-
PNEC	Microorganisms in sewage treatment	0.83 g/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 6

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Green

Odour: Characteristic odour

Evaporation rate: Slow

Oxidising: Not applicable.

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Boiling point/range°C: >35

Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable.

upper: Not applicable.

Flash point°C: >93

Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable.

Vapour pressure: Not applicable.

Relative density: 1

pH: 7

VOC g/l: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 7

11.1. Information on toxicological effects

Hazardous ingredients:

ANGELAMIDE

DERMAL	RAT	DL50	?2000	mg/kg
DERMAL	RAT	NOAEL	50	mg/kg/day
ORAL	RAT	DL50	>5000	mg/kg
ORAL	RAT	NOAEL	750	mg/kg/day

ANGELADD 91/8

DERMAL	RAT	LD50	>2000-<=5000	mg/kg
ORAL	RAT	LD50	>300-<=2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ANGELAMIDE

ALGAE	CI50	3.9	mg/l
DAPHNIA	CE50	3.2	mg/l

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 8

DAPHNIA	NOEL	0.07	mg/l
FISH	CL50	2.4	mg/l

ANGELADD 91/8

"Aquatic Crustacea"	96H LC50	>1-<=10	mg/l
"Micro-organisms"	96H LC50	>10-<=100	mg/l
FISH	96H LC50	>10-<=100	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3267

14.2. UN proper shipping name

Shipping name: Corrosive liquid, basic, organic, n.o.s.
(Snowfoam)

14.3. Transport hazard class(es)

Transport class: 8

SAFETY DATA SHEET

Y 12216 FASTFOAM

Page: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.