SAFETY DATA SHEET

SECTION 1: *IDENTIFICATION*

Product Name: CHEMICAL GUYS WAC 104 BUTTER WET WAX

Product Use: Automotive Detailing

Manufacturer/Supplier:

Chemical Guys 14108 S. Western Ave. Gardena CA,90249

Telephone Number: (866)822-3670 FAX Number: (310)988-1061 E-mail: info@chemicalguys.com Web: www.ChemicalGuys.com

SECTION 2: *HAZARD(S) IDENTIFICATION*

GHS Classification:

Health Environmental

Physical

Eye Effects – Category 2A (Irritant)	Flammable Liquid – Category 4	
Skin Corrosion – Category 3	Explosives – N/A	
Acute Toxicity – Category 5 (Oral)	Flammable Gases – N/A	
Category 5 (inhalation),	Flammable Aerosols – N/A	
Category 5 (dermal)	Oxidizing Gases – N/A	
Skin Sensitization – N/A	Gases Under Pressure – N/A	
Mutagenicity – N/A	Flammable Solid – N/A	
Carcinogenicity- N/A	Self-reactive substances – N/A	
Reproductive/Developmental- N/A	Pyrophoric solids – N/A	
Target Organ Toxicity – N/A	Self-Heating substances – N/A	
Toxicity – N/A	Oxidizing Liquids – N/A	

Substances which, in contact with water emit flammable gasses – N/A



Hazardous to the aquatic environment – N/A

Hazard Statements WARNING!

H227 Combustible Liquid.

Aspiration Hazard – N/A

Environmental Hazards – N/A

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

<u>Precautionary Statements</u>

General:

P101 If medical advice is needed, have product or label at hand.

P102 Keep out of reach of children

P103 Read label before use.

Oxidizing Solids – N/A

Organic Peroxides – N/A Corrosive to Metal – N/A

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. No Smoking.

P280 Wear protective gloves/eye protection/face protection.

P264 Wash thoroughly after handling.

H319 Causes serious eye irritation.	
H333 May be harmful if inhaled.	D
H333 May be narmful if innated.	Response:
	P301 + 312 IF SWALLOWED: Call a POISON CONTROL CENTER or
	doctor/physician if you feel unwell.
	P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
	P337+313 If eye irritation persists get medical advice/attention.
	P370 + P378 IN CASE OF FIRE: Use dry chemical, foam, or carbon dioxide
	to extinguish fire. Water may be ineffective but should be used to
	cool fire-exposed containers, structures and to protect personnel.
	Use water to dilute spills and to flush them away from sources of
	ignition.
	P304+P340+ P312 IF INHALED: Remove Person to fresh air and keep
	comfortable for breathing. Immediately call a POISON
	CONTROL CENTER or doctor/physician.
	Storage:
	P403 + P235 Store in well-ventilated area. Keep Cool.
	Disposal:
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Weight %
Isoalkanes	88551-19-9	50 - 100
Water	7732-18-5	≤ 10
Isopropyl alcohol	67-63-0	≤ 1
Polyethylene Glycol Trimethylnonyl Ether	60828-78-6	≤8
Polydimethyl siloxane	63148-62-9	≤ 10
Natural Diatomaceous Earth	61790-53-2	≤ 4
Carnauba	8015-86-9	≤ 35
Aluminum Oxide	1344-28-1	≤ 15
Amids	68155-20-4	≤ 4
Preservative	4080-31-3	< 1
Fragrance	Proprietary Mixture	≤ 1
Colorant	Proprietary Mixture	< 1

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush immediately with large amounts of clean water for at least 15 minutes, Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists

Inhalation: If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical

attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective

but should be used to cool fire-exposed containers, structures and to protect personnel.

Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures: No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion: N/A

Combustion Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Do not get in eyes, on skin or on clothing. Do not breathe vapor or mists. Keep container closed. Use only

with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep away from heat and flame. Keep operating temperatures below ignition temperatures at all times. Use non-sparking tools. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.

Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and

incompatibles.

Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from

children.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits: Isopropyl alcohol 67-63-0

ACGIH	PEL	400 ppm
ACGIH	TWA	200 ppm
OSHA Z1	PEL	400 ppm – 980 mg/m3
OSHA Z1A	TWA	400 ppm – 980 mg/m3
OSHA Z1A	STEL	500 ppm – 1,225 mg/m3

Component	Limit	TWA	STEL	Celling/peak	Notation
C12-C14	CPCHEM	1200 mg/m3	NA	NA	C9-C15Alphatics

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flashpoint: ≤ 92 °C Lower Flammability Limit: No data available Auto-ignition Temperature: No data available Upper Flammability Limit: No data available

Boiling Point: ≥95°C Volatile Organic Compound: No data

Melting Point: No data available Volatile Organic Compound: No data

Vapor Pressure: No data available Evaporation Rate (Water=1): No data available Vapor Density (Air = 1): No data available Viscosity: 1500 – 2000 cSt

Solubility: No soluble in water pH: $8 \pm .5$ Pour Point: Not available Molecular Weight: Mixture

Molecular Formula: Mixture Spec. Grav. / Density: 8.749 lbs. /gal.

Odor/Appearance: Yellow cream with mild fruit scent

SECTION 10: STABILITY AND REACTIVITY

Reactivity: This material may be reactive with certain agents under certain conditions.

Chemical Stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Keep away from ignition sources, heat, sparks or flames.

Incompatible materials: Strong acids and oxidizers.

Hazardous Decomposition: None know.

SECTION 11: *TOXICOLOGICAL INFORMATION*

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data is available for that endpoint or the data is not sufficient for classification.

Acute Toxicity

neuto Toxiotty					
Name	Route	Species	Value		
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg		
Polyethylene Glycol Trim	Inhalation	-	No data available		
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg		
Carnauba	Oral	_	Not available		
Carnauba	Inhalation	_	Not available		
Carnauba	Dermal	-	Not available		
Polydimethyl siloxane	Oral	Rat	LD 50 >5000 mg/kg		
Polydimethyl siloxane	Inhalation	-	No data available		
Polydimethyl siloxane	Dermal	Rat	LD 50 >2008 mg/kg		
Isopropyl alcohol	Oral	Rat	LD50 > 2000 mg/kg		
Isopropyl alcohol	Inhalation	Rat	LC 50 > 5000 mg/kg		
Isopropyl alcohol	Dermal	Rabbit	LD50 > 2000 mg/kg		
Aluminum Oxide	Oral	_	Conclusive but not sufficient for classification		
Aluminum Oxide	Inhalation	_	Conclusive but not sufficient for classification		
Aluminum Oxide	Dermal	-	Conclusive but not sufficient for classification		
Isoalkanes	Oral	Rat	LD 50 > 5 mg/l		
Isoalkanes	Inhalation	Rat	LC 50 > 5.3 mg/l		
Isoalkanes	Dermal	Rabbit	LD 50 >2 mg/kg		
AMIDS Alkanolamide	Oral	Mouse	LD 50 > 2200 mg/kg		
AMIDS Alkanolamide	Inhalation	-	No data available		
AMIDS Alkanolamide	Dermal	Rabbit	LD 50 > 12200 mg/kg		

Skin Corrosion/Irritation

Name	Route	Species	Value
	•		
Serious Eye Damage/Irritation			
Name	Route	Species	Value
Skin Sensitization			
Name	Route	Species	Value
Respiratory Sensitization			
Name	Route	Species	Value
Germ Cell Mutagenicity			

Name	Route	Species	Value
------	-------	---------	-------

Carcinogenicity

Name Route Species Value

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name Route Species Value

Target Organ (s)

Specific Target Organ Toxicity - Single Exposure

Name Route Species Value

Specific Target Organ Toxicity – repeated exposure

Name Route Species Value

Aspiration Hazard

Name Route Species Value

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish:

No Data

Acute Toxicity to Aquatic Invertebrates:

No Data

Environmental Fate and pathways

No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:

DOT Class: Not Regulated DOT: Cleaning Compound IMDG: Not Regulated ADG7: Not Regulated IATA: Not Regulated

Because this is produced and shipped in several different container sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

SECTION 15: REGULATORY INFORMATION

Hazard Categories:

Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard – No, Delayed Hazard – No

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: *OTHER INFORMATION*

NFPA Hazardous Classification

Health: 1 Flammability: 1 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision # 5 / Issued April 30, 2015

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.