SECTION 1: IDENTIFICATION

Page 1 of 6

Product Name: CHEMICAL GUYS AIR 101 NEW CAR AIR FRESH Product Use: Automotive Detailing

Manufacturer/Supplier:

Chemical Guys 14108 S. Western Ave. Gardena CA,90249

Telephone Number: (866) 822-3670 FAX Number: (310) 988-1061 E-mail: info@chemicalguys.com Web: www.ChemicalGuys.com

SECTION 2: *HAZARD(S) IDENTIFICATION*

GHS Classification:

Health Environmental

meanin Environmental	riiysicai
Eye Effects – Category 2B (Mild Irritation)	Flammable Liquid – N/A
Skin Corrosion – N/A	Explosives – N/A
Acute Toxicity – Category 5 (oral)	Flammable Gases – N/A
N/A (inhalation),	Flammable Aerosols – N/A
N/A (oral/dermal)	Oxidizing Gases – N/A
Skin Sensitization – N/A	Gases Under Pressure – N/A
Mutagenicity – N/A	Flammable Solid – N/A
Carcinogenicity- N/A	Self-reactive substances – N/A
Reproductive/Developmental- N/A	Pyrophoric solids – N/A
Target Organ Toxicity – N/A	Self-Heating substances – N/A
Toxicity – N/A	Oxidizing Liquids – N/A
Aspiration Hazard – N/A	Oxidizing Solids – N/A
Environmental Hazards – N/A	Organic Peroxides – N/A
Hazardous to the aquatic environment – N/A	Corrosive to Metal – N/A
	Substances which, in contact with water emit flammable gasses – N/A

Physical

	Precautionary Statements
Pictogram: N/A	General:
	P101 If medical advice is needed, have product or label at hand.
Hazard Statements	P102 Keep out of reach of children
<u>Huzura Statements</u>	P103 Read label before use.
	Prevention:
WARNING!	P264 Wash thoroughly after handling.
H303 May be harmful if swallowed	Response:
H320 Causes eye irritation	P301 + P312 If Swallowed: Call a POISON CONTROL CENTER or
	doctor/physician. Rinse Mouth.
	P305 +P351+P338 If In eyes: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+313 If eye irritation persists get medical advice/attention.

Storage: N/A Disposal:
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIETS

Page 2 of 6

Component	CAS Number	Weight %
Water	7732-18-5	≤83
Polyethylene Glycol Trimethylnonyl Ether	60828-78-6	\leq 5
Isopropyl Alcohol	67-63-0	< 1
Sodium Xylene Sulfonate	1300-72-7	\leq 5
Fragrance	Proprietary Mixture	\leq 5
Colorant	Proprietary Mixture	≤ 1

SECTION 4: *FIRST AID MEASURES*

Eye Contact:		ely with large amounts of clean water for at least 15 minutes, Eyelids should be held eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.
Skin Contact:	Rinse area with	soap and water. Seek medical attention if any redness or irritation persists
Inhalation: attention.	If breathing is d	ifficult or irritating, move to fresh air immediately. If symptoms persist, get medical
Ingestion:	Get immediate	medical attention. Do not induce vomiting unless directed by medical personnel.
SECTION 5:	FIRE FIGHTIN	G MEASURES
Suitable Extin	guishing Media:	Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective but should be used to cool fire-exposed containers, structures and to protect personnel. Use water to dilute spills and to flush them away from sources of ignition.
Fire Fighting	Procedures:	No special protective action for fire fighters are anticipated.
Unusual Fire	and Explosion:	N/A
Combustion P	Products:	N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

- Handling: Do not get in eyes, on skin or on clothing. Do not breathe vapor or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep away from heat and flame. Keep operating temperatures below ignition temperatures at all times. Use non-sparking tools. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.
- Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and incompatibles.
 Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from children.

SECTION 8: *EXPOSURE CONTROL / PERSONAL PROTECTION*

Exposure Limits: Isopropyl alcohol 67-63-0

ACGIH	PEL	400 ppm
ACGIH	TWA	200 ppm
OSHA Z1	PEL	400 ppm – 980 mg/m3
OSHA Z1A	TWA	400 ppm – 980 mg/m3
OSHA Z1A	STEL	500 ppm – 1,225 mg/m3

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron. A safety shower should be located in the work area.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

SECTION 9: *PHYSICAL AND CHEMICAL PROPERTIES*

Flashpoint:	No flash point	Lower Flammability Limit:	No data available
Auto-ignition Temperature:	No data available	Upper Flammability Limit:	No data available
Boiling Point:	≥95°C	Volatile Organic Compound	: .1% weight [CARB]
Melting Point:	No data available	Volatile Organic Compound	: 1 g/l [SCAQMD 443.1
Vapor Pressure:	No data available	Evaporation Rate (Water=1)	: No data available
Vapor Density (Air = 1):	No data available	Viscosity:	No data
Solubility:	Negligible	pH:	8 ± .5
Pour Point:	Not available	Molecular Weight:	Mixture
Molecular Formula:	Mixture	Spec. Grav. / Density:	8.44 lbs. /gal.

Section 10: STABILITY AND REACTIVITY

Reactivity:	This material may be reactive with certain agents under certain conditions.
Chemical Stability:	Stable
Possibility of hazardous reactions:	Hazardous polymerization will not occur.
Conditions to avoid:	Keep away from ignition sources, heat, sparks or flames.
Incompatible materials:	Strong acids and oxidizers.
Hazardous Decomposition:	None know.

SECTION 11: TOXICOLOGICAL INFORMATION

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity			
Name	Route	Species	Value
Sodium Xylene Sulfonate	Oral	Rat	LD50: 400 mg/kg
Sodium Xylene Sulfonate	Inhalation	-	No data available
Sodium Xylene Sulfonate	Dermal	-	No data available
Isopropyl alcohol	Oral	Rat	LD50 > 2000 mg/kg
Isopropyl alcohol	Inhalation	Rat	LC 50 > 5000 mg/kg
Isopropyl alcohol	Dermal	Rabbit	LD50 > 2000 mg/kg
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	No data available
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg

Acute Toxicity

Name	Route	Species	Value	
Serious Eye Damage/Irrit		T	1	
Name	Route	Species	Value	
at · · · · ·				
Skin Sensitization			X 7 1	
Name	Route	Species	Value	
Respiratory Sensitization				
Name	Route	Species	Value	
(unite	Route	Species	v uiuc	
Germ Cell Mutagenicity				
Name	Route	Species	Value	
		· ·		
a · · ·,				
Carcinogenicity				
Carcinogenicity Name Reproductive Toxicity	Route	Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve	elopmental Effects			
Name Reproductive Toxicity Reproductive and/or Deve		Species Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve Name	elopmental Effects			
Name Reproductive Toxicity Reproductive and/or Deve Name	elopmental Effects			
Name Reproductive Toxicity Reproductive and/or Deve Name Farget Organ (s)	elopmental Effects Route	Species		
Name	elopmental Effects Route	Species		
Name Reproductive Toxicity Reproductive and/or Deve Name Target Organ (s) Specific Target Organ To	elopmental Effects Route xicity – Single Exp	Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve Name Target Organ (s) Specific Target Organ To Name Specific Target Organ To	elopmental Effects Route xicity – Single Exp Route	Species osure Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve Name Target Organ (s) Specific Target Organ To	elopmental Effects Route xicity – Single Exp Route	Species osure Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve Name Target Organ (s) Specific Target Organ To Name Specific Target Organ To Name	elopmental Effects Route xicity – Single Exp Route xicity – repeated ex	Species osure Species	Value	
Name Reproductive Toxicity Reproductive and/or Deve Name Target Organ (s) Specific Target Organ To Name Specific Target Organ To	elopmental Effects Route xicity – Single Exp Route xicity – repeated ex	Species osure Species	Value	

Page 5 of 6

Acute and Prolonged Toxicity to Fish: No Data Acute Toxicity to Aquatic Invertebrates: No Data

Environmental Fate and pathways No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: DOT Class: Not Regulated DOT: Cleaning Compound IMDG: Not Regulated ADG7: Not Regulated IATA: Not Regulated

Because this is produced and shipped in several different container sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

SECTION 15: REGULATORY INFORMATION

Hazard Categories:

Fire Hazard - No, Pressure Hazard - No, Reactivity Hazard - No, Immediate Hazard - No, Delayed Hazard - No

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA Hazardous Classification Health: 1 Flammability: 0 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision # 5 / Issued April 30, 2015

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.