

# Safety Data Sheet

Copyright,2019, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	32-5975-1	Version number:	6.01
<b>Revision date:</b>	07/11/2019	Supersedes date:	04/05/2018
Transportation version	number: 1.00 (15/01/2014)	_	

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

# 1.1. Product identifier

G164 Car Odor Aerosol (26-110A) - New Car Scent (13102901): G16402

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### **Identified uses**

Automotive.

### 1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

## 1.4. Emergency telephone number

+44 (0)870 241 6696

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Aerosol, Category 1 - Aerosol 1; H222, H229

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD DANGER. **Symbols:** GHS02 (Flame) |

# **Pictograms HAZARD STATEMENTS:** H222 Extremely flammable aerosol. H229 Pressurised container. may burst if heated. **PRECAUTIONARY STATEMENTS** General: P102 Keep out of reach of children. **Prevention:** P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. Storage: P410 + P412Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used: <=125 ml Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container. may burst if heated. <=125 ml Precautionary statements General: P102 Keep out of reach of children. **Prevention:** P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. P410 + P412SUPPLEMENTAL INFORMATION: **Supplemental Hazard Statements:**

EUH208 Contains Orange, sweet, extracts. May produce an allergic reaction.

72% of the mixture consists of components of unknown acute oral toxicity. 72% of the mixture consists of components of unknown acute dermal toxicity.

# 2.3. Other hazards

None known.

Ingredient	CAS Nbr	EC No.	REACH	% by W	't	Classification
			Registration			
			No.			
Propene, 1,3,3,3,-tetrafluoro-,(E)-	29118-24-9			60 -	80	Substance not classified as hazardous
Ethanol	64-17-5	200-578-6	01-	10 -	30	Flam. Liq. 2, H225
			2119457610- 43			Eye Irrit. 2, H319
Fragrance Ingredient	Trade			2.625		Substance not classified as
	Secret			3		hazardous
2,6-Dimethylphenol	576-26-1	209-400-1		< 1		Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Aquatic Chronic 2, H411 - Nota C
1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8- hexamethyl-2-naphthalenyl)ethanone	1506-02-1	216-133-4		< 1		Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Orange, sweet, extracts	8028-48-6	232-433-8		< 0.5		Aquatic Chronic 2, H411 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317

# **SECTION 3: Composition/information on ingredients**

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### Eye contact

No need for first aid is anticipated.

## If swallowed

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### **4.3. Indication of any immediate medical attention and special treatment required** Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

<u>Condition</u>
During combustion.
During combustion.
During combustion.

### **5.3.** Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus,tunic and trousers (leggings),bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

### **6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid inhalation of thermal decomposition products. Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat. Store away from acids. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyLimit typeAdditional commentsEthanol64-17-5UK HSCTWA:1920 mg/m³(1000 ppm)Hold to the second secon

### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Recommended monitoring procedures:**Information on recommended monitoring procedures can be obtained from UK HSC

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Full face shield. Indirect vented goggles.

*Applicable Norms/Standards* Use eye/face protection conforming to EN 166

### **Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material

Polymer laminate

Thickness (mm) No data available **Breakthrough Time** No data available

Applicable Norms/Standards Use gloves tested to EN 374 If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates Organic vapour respirators may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

### Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	-			
Physical state	Liquid.			
Colour	Clear Colorless			
Odor	Lavender, Vanilla			
Odour threshold	No data available.			
рН	Not applicable.			
Boiling point/boiling range	No data available.			
Melting point	No data available.			
Flammability (solid, gas)	Not applicable.			
Explosive properties	Not classified			
Oxidising properties	Not classified			
Flash point	>=14.4 °C [ <i>Details</i> :Flash point of Ethanol]			
Autoignition temperature	No data available.			
Flammable Limits(LEL)	No data available.			
Flammable Limits(UEL)	No data available.			
Vapour pressure	No data available.			
Relative density	0.81 [ <i>Ref Std</i> :WATER=1]			
Water solubility	No data available.			
Solubility- non-water	No data available.			
Partition coefficient: n-octanol/water	No data available.			
Evaporation rate	No data available.			
Vapour density	No data available.			
Decomposition temperature	No data available.			
Viscosity	No data available.			
Density	0.81 g/ml			
. Other information				
EU Volatile Organic Compounds	No data available.			
Molecular weight No data available.				
Percent volatile	98.4 % weight			

# **SECTION 10: Stability and reactivity**

9.2.

### **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# **10.4 Conditions to avoid** Sparks and/or flames.

Heat.

# **10.5 Incompatible materials**

Strong oxidising agents.

### 10.6 Hazardous decomposition products <u>Substance</u>

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**11.1 Information on Toxicological effects** 

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

# Ingestion

May cause additional health effects (see below).

# Additional Health Effects:

### Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

### Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethanol	Dermal	Rabbit	LD50 > 15,800 mg/kg
Ethanol	Inhalation- Vapour (4 hours)	Rat	LC50 124.7 mg/l
Ethanol	Ingestion	Rat	LD50 17,800 mg/kg
Fragrance Ingredient	Dermal	Rabbit	LD50 > 5,010 mg/kg
Fragrance Ingredient	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.34 mg/l
Fragrance Ingredient	Ingestion	Rat	LD50 > 5,010 mg/kg
2,6-Dimethylphenol	Dermal		estimated to be 200 - 1,000 mg/kg
2,6-Dimethylphenol	Inhalation- Dust/Mist		estimated to be > 12.5 mg/l
2,6-Dimethylphenol	Ingestion		estimated to be 50 - 300 mg/kg
Orange, sweet, extracts	Inhalation- Vapour (4 hours)	Mouse	LC50 > 3.14 mg/l
Orange, sweet, extracts	Dermal	Rabbit	LD50 > 5,000 mg/kg
Orange, sweet, extracts	Ingestion	Rat	LD50 4,400 mg/kg

ATE = acute toxicity estimate

### **Skin Corrosion/Irritation**

Name	Species	Value
Ethanol	Rabbit	No significant irritation
Fragrance Ingredient	Rabbit	No significant irritation
Orange, sweet, extracts	Rabbit	Mild irritant

#### Serious Eye Damage/Irritation

Name	Species	Value
Ethanol	Rabbit	Severe irritant
Fragrance Ingredient	Rabbit	No significant irritation
Orange, sweet, extracts	Rabbit	Mild irritant

### **Skin Sensitisation**

Name	Species	Value
Ethanol	Human	Not classified
Fragrance Ingredient	Guinea	Not classified
	pig	

Orange, sweet, extracts	Mouse	Sensitising

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

# Germ Cell Mutagenicity

Name	Route	Value
Ethanol	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
Ethanol	In vivo	Some positive data exist, but the data are not
		sufficient for classification
Fragrance Ingredient	In Vitro	Not mutagenic
Fragrance Ingredient	In vivo	Not mutagenic
Orange, sweet, extracts	In Vitro	Not mutagenic
Orange, sweet, extracts	In vivo	Not mutagenic

# Carcinogenicity

Name	Route	Species	Value
Ethanol	Ingestion	Multiple	Some positive data exist, but the data are not
		animal	sufficient for classification
		species	
Fragrance Ingredient	Ingestion	Multiple	Not carcinogenic
	-	animal	-
		species	
Orange, sweet, extracts	Ingestion	Rat	Some positive data exist, but the data are not
			sufficient for classification

# **Reproductive Toxicity**

### **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	Not classified for development	Rat	NOAEL 38 mg/l	during gestation
Ethanol	Ingestion	Not classified for development	Rat	NOAEL 5,200 mg/kg/day	premating & during gestation
Fragrance Ingredient	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during organogenesis
Orange, sweet, extracts	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	premating & during gestation
Orange, sweet, extracts	Ingestion	Not classified for development	Multiple animal species	NOAEL 591 mg/kg/day	during organogenesis

# Target Organ(s)

# Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	LOAEL 2.6 mg/l	30 minutes
Ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethanol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Multiple animal species	NOAEL not available	
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg	

Orange, sweet, extracts Inge	gestion ne	ervous system	Not classified	NOAEL Not available	

### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethanol	Inhalation	hematopoietic system   immune system	Not classified	Rat	NOAEL 25 mg/l	14 days
Ethanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8,000 mg/kg/day	4 months
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg/day	7 days
Fragrance Ingredient	Ingestion	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 470 mg/kg/day	105 weeks
Fragrance Ingredient	Ingestion	heart	Not classified	Rat	NOAEL 470 mg/kg/day	105 weeks
Fragrance Ingredient	Ingestion	endocrine system   liver	Not classified	Rat	NOAEL 3,040 mg/kg/day	105 weeks
Fragrance Ingredient	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 115 mg/kg/day	105 weeks
Fragrance Ingredient	Ingestion	skin   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   vascular system	Not classified	Rat	NOAEL 3,040 mg/kg/day	105 weeks
Orange, sweet, extracts	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 75 mg/kg/day	103 weeks
Orange, sweet, extracts	Ingestion	liver	Not classified	Mouse	NOAEL 1,000 mg/kg/day	103 weeks
Orange, sweet, extracts	Ingestion	heart   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   immune system   muscles   nervous system   respiratory system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks

#### **Aspiration Hazard**

Name	Value
Orange, sweet, extracts	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

# No product test data available.

Material	CAS #	Organism	Туре	Exposure	Test endpoint	Test result
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Water flea	Experimental	48 hours	EC50	>160 mg/l
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Common Carp	Experimental	96 hours	LC50	>117 mg/l
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Green algae	Experimental	72 hours	EC50	>170 mg/l
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Green algae	Experimental	72 hours	Effect Concentration 10%	>170 mg/l
Ethanol	64-17-5	Rainbow trout	Experimental	96 hours	LC50	42 mg/l
Ethanol	64-17-5	Water flea	Experimental	48 hours	LC50	5,012 mg/l
Ethanol	64-17-5	Algae other	Experimental	96 hours	NOEC	1,580 mg/l
Ethanol	64-17-5	Water flea	Experimental	10 days	NOEC	9.6 mg/l
Fragrance Ingredient	Trade Secret	Goldfish	Experimental	96 hours	LC50	>5,000 mg/l
Fragrance Ingredient	Trade Secret	Green algae	Experimental	72 hours	EC50	>100 mg/l
Fragrance Ingredient	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
Fragrance Ingredient	Trade Secret	Green algae	Experimental	72 hours	NOEC	100 mg/l
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl- 2-	1506-02-1	Crustacea other	Experimental	48 hours	LC50	0.61 mg/l
naphthalenyl)ethanone 1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl- 2-	1506-02-1	Fathead minnow	Experimental	96 hours	LC50	1.49 mg/l
naphthalenyl)ethanone 1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl- 2- naphthalenyl)ethanone	1506-02-1	Water flea	Experimental	21 days	NOEC	0.196 mg/l
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl- 2- naphthalenyl)ethanone	1506-02-1	Green Algae	Experimental	72 hours	NOEC	0.405 mg/l
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl- 2-	1506-02-1	Fathead minnow	Experimental	36 days	NOEC	0.035 mg/l
naphthalenyl)ethanone 2,6-Dimethylphenol	576-26-1	Green Algae	Experimental	72 hours	EC50	45 mg/l
2,6-Dimethylphenol	576-26-1	Ricefish	Experimental	96 hours	LC50	15 mg/l
2,6-Dimethylphenol	576-26-1	Water flea	Experimental	48 hours	EC50	11 mg/l
2,6-Dimethylphenol	576-26-1	Green Algae	Experimental	72 hours	NOEC	2 mg/l
2,6-Dimethylphenol	576-26-1	Water flea	Experimental	21 days	NOEC	0.54 mg/l
Orange, sweet, extracts	8028-48-6		Data not available or insufficient for classification			

# 12.2. Persistence and degradability

	Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
--	----------	---------	-----------	----------	------------	-------------	----------

Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Experimental Photolysis		Photolytic half-life (in air)	34.4 days (t 1/2)	Other methods
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Experimental Biodegradation	28 days	BOD	0 %BOD/COD	OECD 301D - Closed bottle test
Ethanol	64-17-5	Experimental Biodegradation	14 days	BOD	89 % BOD/ThBOD	OECD 301C - MITI test (I)
Fragrance Ingredient	Trade Secret	Experimental Biodegradation	28 days	BOD	84.4 % BOD/ThBOD	OECD 301F - Manometric respirometry
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl-2- naphthalenyl)ethanone	1506-02-1	Experimental Biodegradation	28 days	CO2 evolution	0 % weight	OECD 301B - Modified sturm or CO2
2,6-Dimethylphenol	576-26-1	Experimental Biodegradation	28 days	BOD	2 % weight	OECD 301C - MITI test (I)
Orange, sweet, extracts	8028-48-6	Data not availbl- insufficient			N/A	

# **12.3 : Bioaccumulative potential**

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Propene, 1,3,3,3,- tetrafluoro-,(E)-	29118-24-9	Experimental Bioconcentration		Log Kow	1.6	Other methods
Ethanol	64-17-5	Experimental Bioconcentration		Log Kow	-0.35	Other methods
Fragrance Ingredient	Trade Secret	Experimental BCF- Carp	42 days	Bioaccumulation factor	4.6	OECD 305E - Bioaccumulation flow- through fish test
1-(5,6,7,8-Tetrahydro- 3,5,5,6,8,8-hexamethyl-2- naphthalenyl)ethanone	1506-02-1	Experimental BCF - Bluegill	28 days	Bioaccumulation factor	597 % weight	OECD 305E - Bioaccumulation flow- through fish test
2,6-Dimethylphenol	576-26-1	Experimental Bioconcentration		Log Kow	2.33	Other methods
Orange, sweet, extracts	8028-48-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

# 12.4. Mobility in soil

Please contact manufacturer for more details

# 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

### 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. Combustion products will include HF. Facility must be capable of handling halogenated materials. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional

regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

# EU waste code (product container after use)

15 01 04 Metallic packaging

# **SECTION 14: Transportation information**

ADR: UN1950; AEROSOLS; flammable; 2.1; (D); 5F. IATA: UN1950; AEROSOLS; flammable; 2.1. IMDG: UN1950; AEROSOLS; flammable; 2.1; FD,SU.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

# **SECTION 16: Other information**

### List of relevant H statements

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container. may burst if heated.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### **Revision information:**

Label: CLP Percent Unknown information was added.

Label: CLP Percent Unknown information was deleted.

Section 3: Composition/ Information of ingredients table information was modified.

Section 7: Conditions safe storage information was modified.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: Eye/face protection information information was modified.

Section 8: Personal Protection - Respiratory Information information was modified.

Section 8: Respiratory protection - recommended respirators information information was modified.

Section 09: Color information was added. Section 09: Odor information was added. Sections 3 and 9: Odour, colour, grade information information was deleted. Section 11: Acute Toxicity table information was modified. Section 11: Carcinogenicity Table information was modified. Section 11: Germ Cell Mutagenicity Table information was modified. Section 11: Reproductive and/or Developmental Effects text information was deleted. Section 11: Reproductive Toxicity Table information was modified. Section 11: Serious Eye Damage/Irritation Table information was modified. Section 11: Skin Corrosion/Irritation Table information was modified. Section 11: Skin Sensitization Table information was modified. Section 11: Target Organs - Repeated Table information was modified. Section 12: Component ecotoxicity information information was modified. Section 12: Persistence and Degradability information information was modified. Section 12:Bioccumulative potential information information was modified. Section 13: 13.1. Waste disposal note information was modified. Section 15: Chemical Safety Assessment information was added. Section 15: Regulations - Inventories information was deleted. Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified. Sectio 16: UK disclaimer information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

### Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk