

Safety Data Sheet

Copyright, 2016, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	30-8832-5	Version number:	2.00
Revision date:	23/09/2016	Supersedes date:	10/05/2015
Transportation version	number: 1.00 (11/05/2015)	-	

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

D104, All Purpose Cleaner Plus (22-90B): D10401, D10405, D10425, D10455

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

website: www.megulars.co.t

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Substance or Mixture Corrosive to Metals, Category 1 - Met. Corr. 1; H290 Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318 Skin Corrosion/Irritation, Category 1B - Skin Corr. 1B; H314 Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H335 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD DANGER.

Symbols: GHS05 (Corrosion) | GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
PRECAUTIONARY STATE	MENTS
General:	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Prevention:	
P234	Keep only in original container.
P260E	Do not breathe vapour or spray.
Response:	
P310	Immediately call a POISON CENTRE or doctor/physician.
Disposal:	
P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
SUPPLEMENTAL INFORM	ATION
Supplemental Hazard Statem	ents:
EUH208	Contains Oils, orange, sweet. (R)-p-mentha-1,8-diene. May produce an allergic
	reaction.

1% of the mixture consists of components of unknown acute dermal toxicity.

Contains 2% of components with unknown hazards to the aquatic environment.

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents. Ingredients required per 648/2004: <5%: Non-ionic surfactants, EDTA and salts thereof, cationic surfactant. Contains: Perfumes, d-limonene, linalool. H314 based on pH. H335 based on test data.

2.3. Other hazards

May cause chemical gastrointestinal burns.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-Hazardous Ingredients	Mixture		75 - 95	Substance not classified as
				hazardous
Alcohols, C7-21, ethoxylated	68991-48-0		1 - 5	EUH066 (Self Classified)
Potassium Silicate	1312-76-1	215-199-1	0.5 - 1.5	Met. Corr. 1, H290; Acute Tox.
				4, H302; Skin Corr. 1C, H314;
				STOT SE 3, H335 (Self
				Classified)
Alcohols, C9-11, ethoxylated	68439-46-3		0.5 - 1.5	Acute Tox. 4, H302; Skin Irrit. 2,
				H315; Eye Dam. 1, H318 (Self
				Classified)
Tetrasodium ethylenediaminetetraacetate	64-02-8	200-573-9	0.5 - 1.5	Acute Tox. 4, H302; Eye Dam. 1,
				H318 (CLP)
Potassium Hydroxide	1310-58-3	215-181-3	0.1 - 1	Acute Tox. 3, H301; Skin Corr.
				1A, H314 (CLP)
				Met. Corr. 1, H290 (Self
				Classified)
Oils, orange, sweet	8008-57-9		0.05 - 0.5	Flam. Liq. 3, H226; Asp. Tox. 1,
				H304; Skin Irrit. 2, H315; Skin
				Sens. 1, H317; Aquatic Acute 1,
				H400,M=1; Aquatic Chronic 1,
				H410,M=1 (Self Classified)
(R)-p-mentha-1,8-diene (REACH Reg.	5989-27-5	227-813-5	< 0.3	Flam. Liq. 3, H226; Skin Irrit. 2,
No.:01-2119519230-54,01-2119529223-47)				H315; Skin Sens. 1, H317;
				Aquatic Acute 1, H400,M=1;
				Aquatic Chronic 1, H410,M=1 -
				Nota C (CLP)

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. Get immediate medical attention.

Skin contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u> Carbon monoxide. Carbon dioxide. <u>Condition</u> During combustion. During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralise spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralising agent until reaction stops. Let cool before collecting. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Keep away from reactive metals (eg. Aluminium, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store in a corrosive resistant container with a resistant inner liner. Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Potassium Hydroxide	1310-58-3	UK HSC	STEL:2 mg/m3	
UK HSC : UK Health and Safety Commiss	sion		-	
TWA: Time-Weighted-Average				
STEL: Short Term Exposure Limit				
CEIL: Ceiling				

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Full face shield.

Indirect vented goggles.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Butyl rubber.	No data available	No data available
Polymer laminate	No data available	No data available

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Neoprene boots. Coveralls - Disposable, laminate Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet odour
Odour threshold	No data available.
рН	13.5
Boiling point/boiling range	> 100 °C
Melting point	No data available.
Flammability (solid, gas)	Not applicable.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	Flash point $> 93 \degree C (200 \degree F)$
Autoignition temperature	No data available.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapour pressure	No data available.
Relative density	1.03 [<i>Ref Std</i> :WATER=1]
Water solubility	Complete
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Evaporation rate	No data available.
Vapour density	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Density	1.03 g/ml

9.2. Other information

Data is not available for other physical and chemical parameters.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid None known.

10.5 Incompatible materials Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products Substance

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract corrosion: Signs/symptoms may include nasal discharge, severe nose and throat pain, chest tightness and pain, coughing up blood, wheezing, and breathlessness, possibly progressing to respiratory failure.

Skin contact

Corrosive (skin burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Alcohols, C7-21, ethoxylated	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Alcohols, C7-21, ethoxylated	Ingestion	Rat	LD50 > 2,000 mg/kg
Alcohols, C9-11, ethoxylated	Dermal	Rabbit	LD50 > 2,000 mg/kg
Alcohols, C9-11, ethoxylated	Ingestion	Rat	LD50 1,378 mg/kg

Condition

Tetrasodium ethylenediaminetetraacetate	Ingestion	Rat	LD50 1,658 mg/kg
Potassium Silicate	Dermal	Rabbit	LD50 > 4,640 mg/kg
Potassium Silicate	Ingestion	Rat	LD50 500 mg/kg
Oils, orange, sweet	Inhalation-	Mouse	LC50 > 3.14 mg/l
-	Vapour (4		-
	hours)		
Oils, orange, sweet	Dermal	Rabbit	LD50 > 5,000 mg/kg
Oils, orange, sweet	Ingestion	Rat	LD50 4,400 mg/kg
(R)-p-mentha-1,8-diene	Inhalation-	Mouse	LC50 > 3.14 mg/l
	Vapour (4		
	hours)		
(R)-p-mentha-1,8-diene	Dermal	Rabbit	LD50 > 5,000 mg/kg
(R)-p-mentha-1,8-diene	Ingestion	Rat	LD50 4,400 mg/kg
Potassium Hydroxide	Dermal	Rabbit	LD50 > 1,260 mg/kg
Potassium Hydroxide	Ingestion	Rat	LD50 273 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro	Corrosive
	data	
Alcohols, C7-21, ethoxylated	Not	No significant irritation
	available	
Alcohols, C9-11, ethoxylated	Rabbit	Irritant
Potassium Silicate	Rabbit	Corrosive
Oils, orange, sweet	Rabbit	Mild irritant
(R)-p-mentha-1,8-diene	Rabbit	Mild irritant
Potassium Hydroxide	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	similar health	Corrosive
	hazards	
Alcohols, C7-21, ethoxylated	Not available	Moderate irritant
Alcohols, C9-11, ethoxylated	Professio nal judgemen t	Corrosive
Potassium Silicate	Rabbit	Corrosive
Oils, orange, sweet	Rabbit	Mild irritant
(R)-p-mentha-1,8-diene	Rabbit	Mild irritant
Potassium Hydroxide	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
Alcohols, C7-21, ethoxylated	Guinea	Not sensitising
	pig	
Alcohols, C9-11, ethoxylated	Guinea	Not sensitising
	pig	
Potassium Silicate	Mouse	Not sensitising
Oils, orange, sweet	Mouse	Sensitising
(R)-p-mentha-1,8-diene	Mouse	Sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

	Name	Route	Value
--	------	-------	-------

Alcohols, C9-11, ethoxylated	In Vitro	Not mutagenic
Potassium Silicate	In Vitro	Not mutagenic
Potassium Silicate	In vivo	Not mutagenic
Oils, orange, sweet	In Vitro	Not mutagenic
Oils, orange, sweet	In vivo	Not mutagenic
(R)-p-mentha-1,8-diene	In Vitro	Not mutagenic
(R)-p-mentha-1,8-diene	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Oils, orange, sweet	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
(R)-p-mentha-1,8-diene	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Name Route Value		Species	Test result	Exposure Duration
Alcohols, C9-11, ethoxylated	Dermal	Not toxic to female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
Alcohols, C9-11, ethoxylated	Dermal	Not toxic to development	Rat	NOAEL 250 mg/kg/day	2 generation
Alcohols, C9-11, ethoxylated	Dermal	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 100 mg/kg/day	2 generation
Potassium Silicate	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Mouse	NOAEL 200 mg/kg/day	during gestation
Oils, orange, sweet	Ingestion	Some positive female reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 750 mg/kg/day	premating & during gestation
Oils, orange, sweet	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 591 mg/kg/day	during organogenesis
(R)-p-mentha-1,8-diene	Ingestion	Some positive female reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 750 mg/kg/day	premating & during gestation
(R)-p-mentha-1,8-diene Ingestion Some positive developmental data exist, but the data are not sufficient for classification		Multiple animal species	NOAEL 591 mg/kg/day	during organogenesis	

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Overall product	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	Irritation Positive	
Alcohols, C7-21, ethoxylated	Ingestion	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL NA	
Alcohols, C9-11, ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL Not available	not available
Potassium Silicate	Inhalation	respiratory irritation	May cause respiratory irritation	official classifica tion	NOAEL Not available	
Oils, orange, sweet	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	

(R)-p-mentha-1,8-diene	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Potassium Hydroxide	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL not available	

Specific Target Organ Toxicity - repeated exposure

Name Route Target Organ(s) Value		Value	Species	Test result	Exposure Duration	
Alcohols, C9-11, ethoxylated	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	hematopoietic system	All data are negative	Rat	NOAEL 125 mg/kg/day	13 weeks
Potassium Silicate	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	LOAEL 2,400 mg/kg/day	4 weeks
Potassium Silicate	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 804 mg/kg/day	3 months
Potassium Silicate	Ingestion	blood	All data are negative	Rat	NOAEL 804 mg/kg/day	3 months
Potassium Silicate	Ingestion	heart liver	All data are negative	Rat	NOAEL 1,259 mg/kg/day	8 weeks
Oils, orange, sweet	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 75 mg/kg/day	103 weeks
Oils, orange, sweet	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 1,000 mg/kg/day	103 weeks
Oils, orange, sweet	Ingestion	heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system respiratory system	All data are negative	Rat	NOAEL 600 mg/kg/day	103 weeks
(R)-p-mentha-1,8-diene	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 75 mg/kg/day	103 weeks
(R)-p-mentha-1,8-diene	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 1,000 mg/kg/day	103 weeks
(R)-p-mentha-1,8-diene	Ingestion	heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system respiratory system	All data are negative	Rat	NOAEL 600 mg/kg/day	103 weeks

Aspiration Hazard

Name	Value
Oils, orange, sweet	Aspiration hazard
(R)-p-mentha-1,8-diene	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Туре	Exposure	Test endpoint	Test result
Oils, orange,	8008-57-9	Water flea	Experimental	48 hours	EC50	0.421 mg/l
sweet						
Oils, orange,	8008-57-9	Fathead	Experimental	96 hours	LC50	0.72 mg/l
sweet		minnow				
(R)-p-mentha-	5989-27-5	Fathead	Experimental	96 hours	LC50	0.702 mg/l
1,8-diene		minnow				
(R)-p-mentha-	5989-27-5	Green algae	Experimental	96 hours	IC50	1.81 mg/l
1,8-diene						
Potassium	1312-76-1	Water flea	Estimated	48 hours	EC50	1,700 mg/l
Silicate						
Potassium	1312-76-1	Rainbow trout	Estimated	96 hours	LC50	281 mg/l
Silicate						
Potassium	1310-58-3		Data not			
Hydroxide			available or			
			insufficient for			
			classification			
Alcohols, C9-	68439-46-3	Water flea	Experimental	48 hours	EC50	2.686 mg/l
11, ethoxylated						
Alcohols, C9-	68439-46-3	Green algae	Experimental	72 hours	EC50	45 mg/l
11, ethoxylated						
Alcohols, C9-	68439-46-3	Fathead	Experimental	96 hours	LC50	8.5 mg/l
11, ethoxylated		minnow				
Alcohols, C9-	68439-46-3	Green Algae	Experimental	72 hours	NOEC	1.2 mg/l
11, ethoxylated						
Alcohols, C9-	68439-46-3	Fathead	Experimental	30 days	NOEC	0.73 mg/l
11, ethoxylated		minnow		-		
Alcohols, C7-	68991-48-0		Data not			
21, ethoxylated			available or			
			insufficient for			
			classification			
Tetrasodium	64-02-8	Water flea	Experimental	48 hours	EC50	57 mg/l
ethylenediamin						
etetraacetate						
Tetrasodium	64-02-8	Bluegill	Experimental	96 hours	LC50	41 mg/l
ethylenediamin						
etetraacetate						
Tetrasodium	64-02-8	Water flea	Experimental	21 days	NOEC	5.5 mg/l
ethylenediamin						
etetraacetate						

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Oils, orange,	8008-57-9	Estimated		Photolytic half-	2.3 hours (t	Other methods
sweet		Photolysis		life (in air)	1/2)	
(R)-p-mentha-	5989-27-5	Experimental		Photolytic half-	2.5 hours (t	Other methods

1,8-diene		Photolysis		life (in air)	1/2)	
Potassium Silicate	1312-76-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C7- 21, ethoxylated	68991-48-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Non-Hazardous Ingredients	Mixture	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oils, orange, sweet	8008-57-9	Estimated Biodegradation	28 days	BOD	69 % weight	OECD 301C - MITI test (I)
Potassium Hydroxide	1310-58-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
(R)-p-mentha- 1,8-diene	5989-27-5	Experimental Biodegradation	14 days	BOD	98 % weight	OECD 301C - MITI test (I)
Alcohols, C9- 11, ethoxylated	68439-46-3	Experimental Biodegradation	28 days	BOD	88 % weight	OECD 301F - Manometric respirometry
Tetrasodium ethylenediamin etetraacetate	64-02-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Alcohols, C7- 21, ethoxylated	68991-48-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Potassium Silicate	1312-76-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Potassium Hydroxide	1310-58-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Non-Hazardous Ingredients	Mixture	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oils, orange, sweet	8008-57-9	Estimated BCF - Other		Bioaccumulatio n factor	2136	Other methods
(R)-p-mentha- 1,8-diene	5989-27-5	Estimated Bioconcentrati on		Bioaccumulatio n factor	2127	Other methods
Alcohols, C9- 11, ethoxylated	68439-46-3	Estimated Bioconcentrati		Bioaccumulatio n factor	33	Estimated: Bioconcentration factor

		on				
Tetrasodium	64-02-8	Experimental	42 days	Bioaccumulatio	123	OECD 305E -
ethylenediamin		BCF-Carp		n factor		Bioaccumulation flow-
etetraacetate						through fish test

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 29* Detergents containing dangerous substances

SECTION 14: Transportation information

ADR: UN1824; Sodium Hydroxide Solution; 8; III; C5 IMDG: UN1824; Sodium Hydroxide Solution; 8; III; FA, SB IATA: UN1824; Sodium Hydroxide Solution; 8; III

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Ingredient (R)-p-mentha-1,8-diene

<u>CAS Nbr</u> 5989-27-5 <u>Classification</u> Gr. 3: Not classifiable <u>Regulation</u> International Agency for Research on Cancer

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification

requirements of TSCA.

15.2. Chemical Safety Assessment Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

Section 2: EU Detergent Regulation label remarks information was deleted.

Section 2: EU sensitizer phrase information was deleted.

Section 2: Indication of danger information information was deleted.

Label: CLP Precautionary - Prevention information was modified.

Label: CLP Precautionary - Response information was modified.

Label: CLP Precautionary - Storage information was deleted.

Label: Graphic Text information was deleted.

Label: Graphic information was deleted.

Section 2: Label ingredient information information was deleted.

Section 2: Label remarks information was deleted.

Section 2: R phrase reference information was deleted.

Remark (phrase) information was deleted.

Risk phrase information was deleted.

Safety phrase information was deleted.

Section 3: Composition/ Information of ingredients table information was modified.

Section 3: Reference to H statement explanation in Section 016 information was added.

Section 3: Reference to R and H statement explanation in Section 16 information was deleted.

Section 3: Reference to section 15 for Nota info information was deleted.

Section 9: No Data Available Statement information was added.

Section 9: Property description for optional properties information was deleted.

Section 11: Acute Toxicity table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 16: List of relevant R phrase information information was deleted.

Section 16: List of relevant R-phrases information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our

knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk