NANOLEX MICROFIBER WASH

Page: 1

Compilation date: 06.03.2017

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: NANOLEX MICROFIBER WASH

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

Company name: Infinitec Gmbh

Taubfeld 18
Saarbrucken
D-66121
Germany

Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

### 1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -

24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

# **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

### 2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

### NANOLEX MICROFIBER WASH

Page: 2

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

### ALCOHOL, C13, ETHOXYLATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
-	9043-30-5	-	Acute Tox. 4: H302; Eye Dam. 1: H318; Acute Tox. 4: H302+312; Acute Tox. 4: H302+312+332; Acute Tox. 4: H302+332; Acute Tox. 4: H312; Acute Tox. 4: H312+332; Acute Tox. 4: H332	1-10%	
B-ALANIN, N-(2	B-ALANIN, N-(2-AMINOETHYL)-N-(2-HYDROXYETHYL)-,N-KOKOS-ACYLDERIVATE, MNS				
-	93820-52-1	-	Eye Irrit. 2: H319	1-10%	

## COCAMIDOPROPYL BETAINE

-	61789-40-0	-	Eye Dam. 1: H318; Aquatic Acute 1:	1-10%
			H400; Aquatic Chronic 3: H412	

#### COCODIMETHYLAMINOOXIDE

-	61788-90-7	-	Skin Irrit. 2: H315; Eye Dam. 1: H318;	<1%
			Aquatic Chronic 2: H411; Aquatic Acute	
			1: H400	

### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

NANOLEX MICROFIBER WASH

Page: 3

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

### NANOLEX MICROFIBER WASH

Page: 4

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC Values**

## **Hazardous ingredients:**

### **COCODIMETHYLAMINOOXIDE**

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	15,5	Workers	Systemic
DNEL	Dermal	11 mg/kg	Workers	Systemic
DNEL	Inhalation	3,8	Consumers	Systemic
DNEL	Dermal	5,5 mg/kg	Consumers	Systemic
DNEL	Oral	0,44	Consumers	Systemic
PNEC	Fresh water	0,0335 mg/ml	-	-
PNEC	Marine water	0,00335 mg/ml	-	-
PNEC	Microorganisms in sewage treatment	24 mg/ml	-	-
PNEC	Fresh water sediments	1,14 mg/kg	-	-
PNEC	Marine sediments	0,114 mg/kg	-	-
PNEC	Soil (agricultural)	0,906 mg/kg	-	-
PNEC	Food chain	11,1 mg/kg	-	-

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Barely perceptible odour

Flash point°C: >93

### 9.2. Other information

Other information: No data available.

NANOLEX MICROFIBER WASH

Page: 5

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

# 11.1. Information on toxicological effects

# Hazardous ingredients:

### ALCOHOL, C13, ETHOXYLATED

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	556	mg/kg

### B-ALANIN, N-(2-AMINOETHYL)-N-(2-HYDROXYETHYL)-,N-KOKOS-ACYLDERIVATE, MNS

ORAL	RAT	LD50	2000	ma/ka
OIVAL	1011	LD30	2000	

# **COCAMIDOPROPYL BETAINE**

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2335	mg/kg

#### **COCODIMETHYLAMINOOXIDE**

DERMAL	RBT	LD50	300-2000	mg/kg
ORAL	RAT	LD50	2000	mg/kg

### NANOLEX MICROFIBER WASH

Page: 6

### Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

## 12.1. Toxicity

# Hazardous ingredients:

### ALCOHOL, C13, ETHOXYLATED

Daphnia magna	48H EC50	>1-10	mg/l
FISH	96H LC50	>1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	>1-10	mg/l

### **COCAMIDOPROPYL BETAINE**

FISH	96H LC50	472-500	mg/l
			•

# COCODIMETHYLAMINOOXIDE

Daphnia magna	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	0,1-1	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### NANOLEX MICROFIBER WASH

Page: 7

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### **Section 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H302+312: Harmful if swallowed or in contact with skin.

H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.

H302+332: Harmful if swallowed or if inhaled.

H312: Harmful in contact with skin.

H312+332: Harmful in contact with skin or if inhaled.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

# NANOLEX MICROFIBER WASH

Page: 8

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.