CITRUS TAR & GLUE

Product Code

Product Name CITRUS TAR & GLUE

Supplier : Valet Pro Ltd 3 Summervale Road, Tunbridge Wells, Kent. TN4 8JA United Kingdom

Tel : 08450 090 134 Fax : Email : greg@valetpro.co.uk

2 HAZARDS IDENTIFICATION

R10 Flammable., R66 Repeated exposure may cause skin dryness or cracking., R65 Harmful: may cause lung damage if swallowed., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification Xn;R65. R43. R10,R52/53,R66.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EINICS No.	CAS No.	Content	Classification
ALCOHOL ETHOXYLATE			1 - 5%	Xi;R38,R41.
ALIPHATIC DISTILLATE	265-150-3	64742-48-9	60 - 100%	Xn;R65. R10,R66.
ANIONIC DETERGENT	271-531-5	68584-24-7	1 - 5%	Xi;R36.
d-LIMONENE	227-813-5	5989-27-5	1 - 5%	R10 R43 Xi;R38 N;R50/53

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES	
INHALATION	Move the exposed person to fresh air at once., Get medical attention., Provide rest, warmth and fresh air., For breathing difficulties oxygen may be necessary.
INGESTION	DO NOT INDUCE VOMITING!, NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!, If vomiting occurs, keep head low so that stomach content doesn't get into the lungs., Drink plenty of water., Get medical attention immediately!, Provide rest, warmth and fresh air.
SKIN CONTACT	Remove affected person from source of contamination., Remove contaminated clothing., Wash the skin immediately with soap and water., Get medical attention promptly if symptoms occur after washing.
EYE CONTACT	Make sure to remove any contact lenses from the eyes before rinsing., Promptly wash eyes with plenty of water while lifting the eye lids., Continue to rinse for at least 15 minutes and get medical attention.
5 FIRE-FIGHTING MEASURES	
EXTINGUISHING MEDIA	Fire can be extinguished using:, Foam., Dry chemicals, sand, dolomite etc.
SPECIAL FIRE FIGHTING PROCEDURES	Avoid breathing fire vapours., Cool containers exposed to flames with water until well after the fire is out.
6 ACCIDENTAL RELEASE MEASURI	ES
PERSONAL PRECAUTIONS	Wear necessary protective equipment., Absorb in vermiculite, dry sand or earth and place into containers., Do not contaminate water sources or sewer.
7 HANDLING AND STORAGE	
USAGE PRECAUTIONS	Avoid spilling, skin and eye contact., Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.
USAGE DESCRIPTION STORAGE PRECAUTIONS	Store in tightly closed original container in a dry, cool and well-ventilated place., Keep in original container. Flammable liguid storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

ENGINEERING MEASURES HAND PROTECTION EYE PROTECTION OTHER PROTECTION



Provide adequate general and local exhaust ventilation. Use protective gloves made of:, Nitrile. Wear approved safety goggles. Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

Valet Pro Ltd

APPEARANCE	Clear limited
	Clear liquid
COLOUR	colourless, to, Light (or pale), Amber
ODOUR	Citrus, Hydrocarbon
RELATIVE DENSITY	0.783 - 0.793 @20°C
SOLUBILITY	Forms an emulsion with water.
	40 CC (Closed cup).
FLASH POINT (°C)	40 CC (Closed Cup).
10 STABILITY AND REACTIVITY	
STABILITY	Stable under normal temperature conditions.
CONDITIONS TO AVOID	Avoid contact with strong oxidisers.
	Avoid contact with strong ondisers.
HAZARDOUS DECOMPOSITION	Fire creates:, Toxic gases/vapours/fumes of:, Carbon monoxide (CO)., Carbon dioxide (CO2).
PRODUCTS	
11 TOXICOLOGICAL INFORMATIO	N
INHALATION	Vapour may irritate respiratory system or lungs.
INGESTION	Harmful: may cause lung damage if swallowed.
INGESTION	
SKIN CONTACT	Acts as a defatting agent on skin. May cause cracking of skin, and eczema., Prolonged or repeated exposure may cause
	severe irritation.
EYE CONTACT	May cause severe irritation to eyes.
12 ECOLOGICAL INFORMATION	
ECOTOXICITY	Harmful to aquistic organisms. May cause long term advance offects in the aquistic equiption
ECUTUAIUNT	Harmful to aquatic organisms., May cause long term adverse effects in the aquatic environment.
13 DISPOSAL CONSIDERATIONS	
DISPOSAL METHODS	Dispose of waste and residues in accordance with local authority requirements.
	1
14 TRANSPORT INFORMATION	
	A
TRANSPORT LABELS	
UK ROAD CLASS	3
UK ROAD PACK GR.	
ADR CLASS NO.	3
ADR CLASS	Class 3: Flammable liquids.
PROPER SHIPPING NAME	FLAMMABLE LIQUID, NOS (aliphatic hydrocarbons)
UNINO SEA	1993
UN NO. SEA	1993
IMDG CLASS	3
IMDG CLASS	3
IMDG CLASS UN NO. AIR	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR)	3 1993
IMDG CLASS UN NO. AIR	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR)	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR)	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR)	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION	3 1993
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING	3 1993 30 Harmful (Xn)
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking.
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children < 5% Anionic surfactants
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children < 5% Anionic surfactants
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES	3 1993 30 Harmful (Xn) d-LIMONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, with plenty of water and seek medical advice, S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, on tinduce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children < 5% Anionic surfactants Contains BENZYL BENZOATE,d-LIMONENE,cinnamyl alobhol,Butylphenyl methylpropional < 5% Non-ionic surfactants
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES	 3 1993 30 Armful (Xn) ALIMONENE, ALIPHATIC DISTILLATE R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children 5% Anionic surfactants BENZYL BENZOATE, d-LIMONENE, cinnamyL Contains alcohol, Butylphenyl methylpropional < 5% Non-ionic surfactants < 5% Perfumes
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES DETERGENT LABELLING	 3 1993 30 Armful (Xn) ALIMANENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children <5% Anionic surfactants Contains BENZYL BENZOATE,d-LIMONENE,cinnamyl acond., BENZYL BENZOATE,d-LIMONENE,cinnamyl acond., BUtylphenyl methylpropional <5% Non-ionic surfactants <5% Perfumes >30% Aliphatic hydrocarbons
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES DETERGENT LABELLING STATUTORY INSTRUMENTS	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES DETERGENT LABELLING	 3 1993 30 Harmful (Xn) Harmful (Xn) Harmful (Xn) HINONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children < 5% Anionic surfactants S% Non-ionic surfactants S% N
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES DETERGENT LABELLING STATUTORY INSTRUMENTS	3 1993 30
IMDG CLASS UN NO. AIR HAZARD No. (ADR) 15 REGULATORY INFORMATION LABELLING CONTAINS RISK PHRASES SAFETY PHRASES DETERGENT LABELLING STATUTORY INSTRUMENTS APPROVED CODE OF PRACTICE	 3 1993 30 Harmful (Xn) Harmful (Xn) Harmful (Xn) HINONENE, ALIPHATIC DISTILLATE R10 Flammable., R43 May cause sensitisation by skin contact., R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., R65 Harmful: may cause lung damage if swallowed., R66 Repeated exposure may cause skin dryness or cracking. S24 Avoid contact with skin., S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice., S37/39 Wear suitable gloves and eye/face protection., S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label., S51 Use only in well-ventilated areas., S2 Keep out of the reach of children < 5% Anionic surfactants S% Non-ionic surfactants S% N

16 OTHER INFORMATION GENERAL INFORMATION

The following risk phrases relate to the raw materials in the product and not the product itself:-

REVISION DATE REV. NO./REPL. SDS GENERATED

31/08/2011

1

RISK PHRASES IN FULL

. R10 Flammable., R38 Irritating to skin., R43 May cause sensitisation by skin contact., R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.| R10 Flammable., R66 Repeated exposure may cause skin dryness or cracking., R65 Harmful: may cause lung damage if swallowed.| R36 Irritating to eyes.| R38 Irritating to skin., R41 Risk of serious damage to eyes.|