Y 12241 NEMESIS - TAR SPOT REMOVER

Page: 1

Compilation date: 01/11/2018

Revision No: 3

### Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Y 12241 NEMESIS - TAR SPOT REMOVER

Product code: Y12241

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

**1.3.** Details of the supplier of the safety data sheet

Company name: ANGELWAX LTD UNIT G MEADOWSIDE STREET RENFREW RENFREWSHIRE PA4 8SR UK Tel: +44 (0)141 886 6732 Fax: +44 (0)141 886 6733 Email: info@angelwax.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)7775 645592, +44 (0)7879 690508

### **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Acute Tox. 4: H312+H332; Flam. Liq. 3: H226

**Most important adverse effects:** Flammable liquid and vapour. Harmful in contact with skin or if inhaled Causes skin irritation.

#### 2.2. Label elements

Label elements:		
Hazard statements:	H226: Flammable liquid and vapour.	
	H312+H332: Harmful in contact with skin or if inhaled	
	H315: Causes skin irritation.	
Hazard pictograms:	GHS02: Flame	
	GHS07: Exclamation mark	[cont_]

# **SAFETY DATA SHEET** Y 12241 NEMESIS - TAR SPOT REMOVER



Signal words:	Warning
Precautionary statements:	P102: Keep out of reach of children.
I	P332+P313: If skin irritation occurs: Get medical advice/attention.
I	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
\$	sources. No smoking.
I	P233: Keep container tightly closed.
I	P241: Use explosion-proof electrical/ventilating/lighting/ equipment.
I	P242: Use non-sparking tools.
I	P243: Take action to prevent static discharges.
I	P261: Avoid breathing vapours.
I	P271: Use only outdoors or in a well-ventilated area.
I	P280: Wear protective gloves/eye protection/face protection.
I	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated
(	clothing. Rinse skin with water .
I	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
I	breathing.
I	P370+P378: In case of fire: Use media other than water to extinguish.
I	P501: Dispose of contents/container to hazardous or special waste collection
I	point, in accordance with local, regional, national and/or international regulation.
2.3. Other hazards	

### 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

### XYLENE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4:	>90%
			H332; Acute Tox. 4: H312; Skin Irrit.	
			2: H315	

Y 12241 NEMESIS - TAR SPOT REMOVER

### DIPROPYLENE GLYCOL MONOMETHYL ETHER - REACH registered number(s): 61-2119450011-60-XXXX

252-104-2	34590-94-8	Substance with a Community	-	1-10%	
		workplace exposure limit.			

# Section 4: First aid measures

# 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor. Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor. 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent

contact with skin and eyes.

Y 12241 NEMESIS - TAR SPOT REMOVER

# Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

# SAFETY DATA SHEET Y 12241 NEMESIS - TAR SPOT REMOVER

### Hazardous ingredients:

### XYLENE

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	220 mg/m3	441 mg/m3	-	-

**Respirable dust** 

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area. Ensure lighting and electrical<br/>equipment are not a source of ignition.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

# **Section 9: Physical and chemical properties**

9.1. Information on basic	hysical and chemical proper	ties
	ingsical and chemical proper	1103

State:	Liquid		
Colour:	Colourless		
Odour:	Aromatic		
Evaporation rate:	Slow		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Insoluble		
Also soluble in:	Most organic solvents.		
Viscosity:	Non-viscous		
Boiling point/range°C:	>35	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	23 - 60	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	0.87	pH:	7
VOC g/l:	870		

9.2. Other information

Other information: Not applicable.

Y 12241 NEMESIS - TAR SPOT REMOVER

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

### 11.1. Information on toxicological effects

### Hazardous ingredients:

### XYLENE

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

### DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	9150	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

### **Relevant hazards for product:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH DRM	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated

Y 12241 NEMESIS - TAR SPOT REMOVER

### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# **Section 12: Ecological information**

### 12.1. Toxicity

### Hazardous ingredients:

### DIPROPYLENE GLYCOL MONOMETHYL ETHER

Daphnia magna	48H EC50	1919	mg/l
Daphnia magna	NOEC	0.5	mg/l
FISH	96H LC50	1000	mg/l
GREEN ALGA (Selenastrum capricornutum)	EC50	969	mg/l

### 12.2. Persistence and degradability

### Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Y 12241 NEMESIS - TAR SPOT REMOVER

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# **Section 16: Other information**

### Other information

Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.
	H312: Harmful in contact with skin.
	H312+H332: Harmful in contact with skin or if inhaled
	H315: Causes skin irritation.
	H332: Harmful if inhaled.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all
	inclusive and shall be used only as a guide. This company shall not be held liable
	for any damage resulting from handling or from contact with the above product.