

# SAFETY DATA SHEET Microfibre Wash - Auto Finesse

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name Microfibre Wash - Auto Finesse

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Detergent.

**Uses advised against** This product is not recommended for any other purpose than stated above.

## 1.3. Details of the supplier of the safety data sheet

Supplier Auto Finesse Limited

7C Silkmead Industrial Estate, Hare Street, Buntingford, Hertfordshire, SG9 0DX Tel: 08446 93 13 93 Intl: +44 (0)1992 217 210 info@autofinesse.co.uk

# 1.4. Emergency telephone number

Emergency telephone Tel: 08446 93 13 93

Intl: +44 (0)1992 217 210 Monday – Friday: 9am – 5pm

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or -

1999/45/EC)

## 2.2. Label elements

#### Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Microfibre Wash - Auto Finesse

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.

**Detergent labelling** < 5% amphoteric surfactants, < 5% EDTA and salts thereof

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling. P321 Specific treatment (see medical advice on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Alcohol Alcoxylate 1-5%

CAS number: 85422-93-1 REACH registration number: 02-

2119831120-58-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R41.

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

1-5%

CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-

2119486762-27-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 Xn;R22 Xi;R41

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Irrit. 2 - H319 STOT RE 2 - H373

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

**Inhalation** Get medical attention if any discomfort continues.

**Ingestion** Remove affected person from source of contamination. Rinse mouth thoroughly with water.

Give plenty of water to drink. Get medical attention.

**Skin contact** Remove affected person from source of contamination. Remove contaminated clothing

immediately and wash skin with soap and water. Get medical attention if irritation persists

after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention.

#### Microfibre Wash - Auto Finesse

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

May cause discomfort if swallowed. May cause stomach pain or vomiting. Ingestion

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause severe eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible. Irritating gases or vapours. Thermal decomposition or

combustion products may include the following substances: Acrid smoke or fumes. Carbon.

Nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Use air-supplied respirator, gloves and protective goggles. Use protective equipment

appropriate for surrounding materials.

## SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. For personal protection, see Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. To prevent release, place

container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

> with plenty of water. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Flush contaminated area with plenty of

water. Take care as floors and other surfaces may become slippery.

## 6.4. Reference to other sections

#### Microfibre Wash - Auto Finesse

**Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Good personal hygiene procedures should be

implemented.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Store in a cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

## 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Provide eyewash station. Work clothes protecting arms, legs and body should be used, together with a PVC protective apron which should be long enough to cover rubber shoes/boots thus eliminating the possibility of splashes or spillages entering the footwear.

Hygiene measures

Based on and limited to our experience of this product, the following special advice is believed to provide satisfactory protection for the industrial user or handler. The choice of suitable protective equipment depends on work conditions and what methods are used for handling the substance. This advice is not a substitute for each Company conducting their own Risk/COSHH Assessments, but is provided as general guidance. Do not smoke in the work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use barrier cream to prevent drying of skin. Eating, smoking and water fountains prohibited in immediate work area.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

#### Microfibre Wash - Auto Finesse

## **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Coloured liquid. **Appearance** 

Blue. Colour Odour Fruity.

Ηд pH (concentrated solution): ~7

Relative density ~ 1

Soluble in water. Solubility(ies)

9.2. Other information

Other information No relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity The following materials may react strongly with the product: Strong acids.

Chlorohydrocarbons. Strong oxidising agents.

#### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. No particular

stability concerns.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Not applicable. Will not polymerise.

# 10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Avoid

excessive heat for prolonged periods of time.

#### 10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents.

# 10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

10,378.37 ATE oral (mg/kg)

Acute toxicity - inhalation

ATE inhalation (dusts/mists

85.05

mg/l)

General information This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

Inhalation May cause respiratory system irritation.

#### Microfibre Wash - Auto Finesse

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Irritating to skin.

**Eye contact** Irritating to eyes. May cause severe eye irritation.

Acute and chronic health

hazards

Product has a defatting effect on skin.

Route of exposure Ingestion. Skin and/or eye contact

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

Medical considerations Skin disorders and allergies.

Toxicological information on ingredients.

Alcohol Alcoxylate

Acute toxicity - oral

Acute toxicity oral (LD50

500.0

mg/kg)

Species Rat

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - oral

Acute toxicity oral (LD50

2,000.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,000.0

Acute toxicity - inhalation

ATE inhalation 1.5

(dusts/mists mg/l)

General information The product shows the following dangers according to the calculation method of the

General EU Classification Guidelines for Preparations as issued in the latest

version: Harmful

**Skin contact** Irritating to skin.

Eye contact Risk of serious damage to eyes.

SECTION 12: Ecological Information

**Ecotoxicity** Not classified as dangerous to the environment.

12.1. Toxicity

**Toxicity** No relevant information available.

Ecological information on ingredients.

Alcohol Alcoxylate

Acute aquatic toxicity

#### Microfibre Wash - Auto Finesse

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: >1 - <10 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: >1 - <10 mg/l, Desmodesmus subspicatus

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 28 days: >0.1 - <1 mg/l, Brachydanio rerio (Zebra Fish)

life stage

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: > 0.1 - <1 mg/l, Daphnia magna

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

**Toxicity** EC 50 156 mg/l (Eisenia foetida foetida) (14d (OECD 207))

>100 mg/l (daphnia magna) (EU Risk Assessment 2004)

EC 50 (24u) 532 mg/l (daphnia magna) (OECD 202) LC 50 (96u) 532 mg/l (Lepomis macrochirus) (OECD 203)

# 12.2. Persistence and degradability

Persistence and degradability The surfactants contained in this preparation comply with the biodegradability criteria as laid

down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available

to them, at their direct request or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Persistence and degradability

Result: 5% (activated sludge; 400mg/l; Related to: Dissolved organic carbon

(DOC); Exposure Time: 28 d)(OECD Test Guideline 302B)

Kinetic data: <1%; 3 h

# 12.3. Bioaccumulative potential

Bioaccumulative potential No further relevant information available.

## Ecological information on ingredients.

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Bioaccumulative potential No further relevant information available.

#### 12.4. Mobility in soil

Mobility No further relevant information available.

# Ecological information on ingredients.

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Mobility No further relevant information available.

Adsorption/desorption COD-value: 260 coefficient BOD5-value: 50

#### 12.5. Results of PBT and vPvB assessment

#### Microfibre Wash - Auto Finesse

Results of PBT and vPvB

assessment

No additional information available.

Ecological information on ingredients.

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Results of PBT and vPvB

Not applicable

assessment

12.6. Other adverse effects

Other adverse effects No supplementary information available.

Ecological information on ingredients.

# TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Other adverse effects Water hazard class 2 (German Regulation): hazardous for water. Do not allow

> product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized. Danger to drinking

water if even small quantities lead into the ground.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

General information The packaging must be empty (drop-free when inverted).

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor. Packaging: Recover

and reclaim or recycle. If practical.

# SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# Microfibre Wash - Auto Finesse

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list

of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments.

**EU legislation** Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Workplace Exposure Limits EH40.

Approved Classification and Labelling Guide (Sixth edition) L131.

Health and environmental

listings

Regulation (EC) 649/2012 of the European Parliament and of the Council of 4 July 2012

concerning the export and import of hazardous chemicals (as amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

General information PLEASE NOTE: The risk phrases itemised below are those relating to concentrated forms of

the raw materials used in this product and are not necessarily applicable to the finished item.

Please see Section 2 for the current classification of this product.

Revision date 06/07/2018

Revision 1

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs (Respiratory system, lungs) through prolonged or

repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

The information provided in this document is based on our present state of knowledge of the product and is given in good faith and to the best of our experience. However, it should not be construed as a technical specification or as guaranteeing specific properties, accuracy, reliability or completeness. In no event we will be responsible for damages or effects of any nature whatsoever, either express or implied, resulting from the use of this information. It is the own responsibility of the consignee and the user of the product to comply with all prevailing and applicable laws, regulations and directives. They should also make their own determination as to the suitability of the product for a particular use or application by carrying out a full risk assessment of their specific processes and systems of work. All information contained within this document is for the product in it's undiluted state and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.