



SAFETY DATA SHEET

Tripple - Auto Finesse

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Tripple - Auto Finesse

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Polish.

Uses advised against This product is not recommended for any other purpose than stated above.

1.3. Details of the supplier of the safety data sheet

Supplier Auto Finesse Limited
 7C Silkmead Industrial Estate,
 Hare Street, Buntingford,
 Hertfordshire, SG9 0DX
 Tel: 08446 93 13 93
 Intl: +44 (0)1992 217 210
 info@autofinesse.co.uk

1.4. Emergency telephone number

Emergency telephone Tel: 08446 93 13 93
 Intl: +44 (0)1992 217 210
 Monday – Friday: 9am – 5pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P102 Keep out of reach of children.
 P103 Read label before use.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Tripple - Auto Finesse

Naphtha (petroleum), hydrotreated heavy		10-30%
CAS number: 64742-48-9	EC number: 265-150-3	REACH registration number: 01-2119486659-16-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Asp. Tox. 1 - H304	Xn;R65. R66.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
Ingestion	Do not induce vomiting. Seek immediate medical attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.

4.2. Most important symptoms and effects, both acute and delayed

General information No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: water fog, foam, dry chemical or carbon dioxide (CO ₂) to extinguish flames.
Unsuitable extinguishing media	Do not use: Straight streams of water.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Smoke, Fume, Incomplete combustion products, Oxides of carbon

5.3. Advice for firefighters

Protective actions during firefighting Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

Unusual Fire Hazards: Combustible.

Flammability Properties:
Flash Point: ~61C

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Tripple - Auto Finesse

Personal precautions

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

PROTECTIVE MEASURES

Avoid contact with spilled material.

6.2. Environmental precautions

Environmental precautions

Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if you can do so without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Recover by pumping or with suitable absorbent.

6.4. Reference to other sections

Reference to other sections See section 6.1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Ensure good ventilation/exhaustion at the workplace. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Protect from heat. Use explosion-proof apparatus / fittings and spark-proof tools. Fumes can combine with air to form an explosive mixture.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep in cool, dry, ventilated storage and closed containers Handle containers with care. Open slowly in order to control possible pressure release. Do not store together with acids. Store away from oxidizing agents.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Naphtha (petroleum), hydrotreated heavy

No exposure limits noted for ingredient(s).

Ingredient comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Tripple - Auto Finesse

Appropriate engineering controls	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider: Adequate ventilation should be provided so that exposure limits are not exceeded. Use explosion-proof ventilation equipment.
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Hand protection	Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include: Chemical resistant gloves are recommended. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and lists of glove types.
Other skin and body protection	Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include: Chemical/oil resistant clothing is recommended.
Hygiene measures	Based on and limited to our experience of this product, the following special advice is believed to provide satisfactory protection for the industrial user or handler. The choice of suitable protective equipment depends on work conditions and what methods are used for handling the substance. This advice is not a substitute for each Company conducting their own Risk/COSHH Assessments, but is provided as general guidance. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
Respiratory protection	If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: Half-face filter respirator Type A filter material, European Committee for Standardization (CEN) standards EN 136, 140 and 405 provide respirator masks and EN 149 and 143 provide filter recommendations. For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Opaque liquid.
Colour	Purple.
Odour	Characteristic.
Flash point	~ 61-66°C
Relative density	~ 0.95
Solubility(ies)	Immiscible with water.

9.2. Other information

Other information	No relevant information available.
--------------------------	------------------------------------

Tripple - Auto Finesse

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See sub-sections below.

10.2. Chemical stability

Stability Material is stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not expected.

10.4. Conditions to avoid

Conditions to avoid Avoid open flames and high energy ignition sources.

10.5. Incompatible materials

Materials to avoid Strong oxidisers.

10.6. Hazardous decomposition products

Hazardous decomposition products Material does not decompose at ambient temperatures.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Toxicological information on ingredients.

Naphtha (petroleum), hydrotreated heavy

Toxicological effects	Acute Toxicity: Oral LD50 > 5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rabbit) ((24u))
<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
Species	Rat
ATE oral (mg/kg)	5,000.0

SECTION 12: Ecological Information

12.1. Toxicity

Ecological information on ingredients.

Naphtha (petroleum), hydrotreated heavy

Tripple - Auto Finesse

Toxicity	Aquatic Toxicity: LC / EC / IC 50: >100 mg/l (fish) >100 mg/l (algae) >100 mg/l (Activated Sludge) NOEC 0.1-1 mg/l (fish) 0.1-1 mg/l (Activated Sludge)
-----------------	--

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Likely to bio-accumulate, but with short retention of the order of a week or less.

12.4. Mobility in soil

Mobility Insoluble: the product spreads over the surface of the water. Will slowly evaporate. The product has only slight mobility in the soil and will partially evaporate.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No additional information available.

12.6. Other adverse effects

Other adverse effects No supplementary information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.

Disposal methods Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products. REGULATORY DISPOSAL INFORMATION
European Waste Code: 08 XX XX

NOTE: These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

Empty Container Warning:

Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safety stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

SECTION 14: Transport information

Tripple - Auto Finesse

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	22/12/2017
Revision	1
Risk phrases in full	R65 Harmful: may cause lung damage if swallowed.
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.