SAFETY DATA SHEET

SECTION 1: *IDENTIFICATION*

Product Name: CHEMICAL GUYS WAC 101 INSTAWAX LIQUID CARNAUBA WAX

Product Use: Automotive Detailing

Manufacturer/Supplier:

Chemical Guys 14108 S. Western Ave. Gardena CA,90249

Telephone Number: (866)822-3670 FAX Number: (310)988-1061 E-mail: info@chemicalguys.com Web: www.ChemicalGuys.com

SECTION 2: *HAZARD(S) IDENTIFICATION*

GHS Classification:

Health Environmental

Physical

Eye Effects – Category 2A (I	Irritant)
------------------------------	-----------

Skin Corrosion – Category 3

Acute Toxicity – Category 5 (Oral)

Category 5 (inhalation),

Category 5 (dermal)

Skin Sensitization – N/A

Mutagenicity - N/A

Carcinogenicity- N/A

Reproductive/Developmental- N/A

Target Organ Toxicity - N/A

Toxicity - N/A

Aspiration Hazard – N/A

Environmental Hazards – N/A

Hazardous to the aquatic environment – N/A

Flammable Liquid – Category 4

Explosives – N/A

Flammable Gases – N/A

Flammable Aerosols – N/A

Oxidizing Gases – N/A

Gases Under Pressure – N/A

Flammable Solid – N/A

Self-reactive substances – N/A

Pyrophoric solids – N/A

Self-Heating substances – N/A

Oxidizing Liquids – N/A

Oxidizing Solids – N/A

Organic Peroxides – N/A

Corrosive to Metal – N/A

Substances which, in contact with water emit flammable gasses – N/A

Precautionary Statements

!>

Hazard Statements WARNING!

H227 Combustible Liquid. H303 May be harmful if swallowed.

General:

P101 If medical advice is needed, have product or label at hand.

P102 Keep out of reach of children

P103 Read label before use.

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. No Smoking.

P280 Wear protective gloves/eye protection/face protection.

P264 Wash thoroughly after handling.

H313 May be harmful in contact with skin.	
H319 Causes serious eye irritation.	
H333 May be harmful if inhaled.	Response:
	$\overline{P301} + 312$ IF SWALLOWED: Call a POISON CONTROL CENTER or
	doctor/physician if you feel unwell.
	P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
	P337+313 If eye irritation persists get medical advice/attention.
	P370 + P378 IN CASE OF FIRE: Use dry chemical, foam, or carbon dioxide
	to extinguish fire. Water may be ineffective but should be used to
	cool fire-exposed containers, structures and to protect personnel.
	Use water to dilute spills and to flush them away from sources of
	ignition.
	P304+P340+ P312 IF INHALED: Remove Person to fresh air and keep
	comfortable for breathing. Immediately call a POISON
	CONTROL CENTER or doctor/physician.
	Storage:
	P403 + P235 Store in well-ventilated area. Keep Cool.
	Disposal:
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Weight %
Isoalkanes	88551-19-9	50 - 100
Water	7732-18-5	≤ 10
Polyethylene Glycol Trimethylnonyl Ether	60828-78-6	≤ 8
Polydimethyl siloxane	63148-62-9	≤ 10
Carnauba	8015-86-9	≤ 28
Aluminum Oxide	1344-28-1	≤ 20
Amids	68155-20-4	≤ 4
Preservative	4080-31-3	< 1
Fragrance	Proprietary Mixture	≤ 1
Colorant	Proprietary Mixture	< 1

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush immediately with large amounts of clean water for at least 15 minutes, Eyelids should be held

away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists

If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical Inhalation:

attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective

but should be used to cool fire-exposed containers, structures and to protect personnel.

Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures: No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion: N/A

Combustion Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Do not get in eyes, on skin or on clothing. Do not breathe vapor or mists. Keep container closed. Use only

with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep away from heat and flame. Keep operating temperatures below ignition temperatures at all times. Use non-sparking tools. Chemical resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.

Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and

incompatibles.

Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from

children.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits:

C12 – C14 Isoalkanes 88551-19-9

Component	Limit	TWA	STEL	Celling/peak	Notation
C12-C14	CPCHEM	1200 mg/m3	NA	NA	C9-C15Alphatics

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flashpoint: ≤ 92 °C Lower Flammability Limit: No data available Auto-ignition Temperature: No data available Upper Flammability Limit: No data available

Boiling Point: ≥95°C Volatile Organic Compound: No data Melting Point: No data available Volatile Organic Compound: No data

Vapor Pressure: No data available Evaporation Rate (Water=1): No data available

Vapor Density (Air = 1): Viscosity: No data available 100 cSt Solubility: No soluble in water pH: $8 \pm .5$ Pour Point: Molecular Weight: Not available Mixture Molecular Formula: Spec. Grav. / Density: 8.449 lbs./gal. Mixture

Odor/Appearance: Yellow liquid with mild fruit scent

SECTION 10: STABILITY AND REACTIVITY

Reactivity: This material may be reactive with certain agents under certain conditions.

Chemical Stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Keep away from ignition sources, heat, sparks or flames.

Incompatible materials: Strong acids and oxidizers.

Hazardous Decomposition: None know.

SECTION 11: *TOXICOLOGICAL INFORMATION*

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data is available for that endpoint or the data is not sufficient for classification.

		•	• .
Acute		V 10	11 1 17
1 ICutC	104	710	JILY

Name	Route	Species	Value
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	No data available
Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg
Carnauba	Oral	-	Not available
Carnauba	Inhalation	-	Not available
Carnauba	Dermal	-	Not available
Polydimethyl siloxane	Oral	Rat	LD 50 >5000 mg/kg
Polydimethyl siloxane	Inhalation	-	No data available
Polydimethyl siloxane	Dermal	Rat	LD 50 >2008 mg/kg
Aluminum Oxide	Oral	-	Conclusive but not sufficient for classification
Aluminum Oxide	Inhalation	-	Conclusive but not sufficient for classification
Aluminum Oxide	Dermal	-	Conclusive but not sufficient for classification
Isoalkanes	Oral	Rat	LD 50 > 5 mg/l
Isoalkanes	Inhalation	Rat	LC 50 > 5.3 mg/l
Isoalkanes	Dermal	Rabbit	LD 50 >2 mg/kg
AMIDS Alkanolamide	Oral	Mouse	LD 50 > 2200 mg/kg
AMIDS Alkanolamide	Inhalation	-	No data available
AMIDS Alkanolamide	Dermal	Rabbit	LD 50 > 12200 mg/kg

Skin Corrosion/Irritation

Name	Route	Species	Value		
Serious Eye Damage/Irritation					
Name	Route	Species	Value		
Skin Sensitization					
Name	Route	Species	Value		
Respiratory Sensitization					
Name	Route	Species	Value		
Germ Cell Mutagenicity					
Name	Route	Species	Value		
Carcinogenicity					
Name	Route	Species	Value		
Reproductive Toxicity					
Reproductive and/or Developmental Effects					
Name	Route	Species	Value		

Target Organ (s)

Specific Target Organ Toxicity – Single Exposure

Name Route Species Value

Specific Target Organ Toxicity – repeated exposure

Name Route Species Value

Aspiration Hazard

Name Route Species Value

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish:

No Data

Acute Toxicity to Aquatic Invertebrates:

No Data

Environmental Fate and pathways

No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:

DOT Class: Not Regulated DOT: Cleaning Compound IMDG: Not Regulated ADG7: Not Regulated IATA: Not Regulated

Because this is produced and shipped in several different container sizes as well as domestically and internationally, please consult your transportation specialist for the proper shipping name and class.

SECTION 15: *REGULATORY INFORMATION*

Hazard Categories:

Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard – No, Delayed Hazard – No

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16: *OTHER INFORMATION*

NFPA Hazardous Classification

Health: 1 Flammability: 1 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision # 5 / Issued April 30, 2015

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.