

according to Regulation (EC) No 1907/2006

**GLD-Lösung** 

Print date: 02.05.2017 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**GLD-Lösung** 

### Further trade names

GLD SOLVENT CLEANER, SOLUTION GLD, GLD-RAZTOPINA

CAS No: 107-98-2 Index No: 603-064-00-3 EC No: 203-539-1

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Solvents/Thinner

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: LEDERZENTRUM GmbH

Street: Raiffeisenstraße 1

Place: D-37124 Rosdorf (Germany)

Telephone: +49 (0)551- 770730 Telefax: +49 (0)551- 7707322

e-mail: info@lederzentrum.de

Contact person: Karin Oberdiek Telephone: + 49 (0) 551 770730

e-mail: ko@lederzentrum.de
Internet: www.lederzentrum.de
Responsible Department: +49 (0)551 - 770 730

**Supplier** 

Company name: Westhill Trading Ltd.

Street: 80, Saxon Avenue

Place: GB-TW13 5JN Hanworth

Telephone: (+44) 203 793 9125

e-mail: info@colourlock.com

Contact person: Ram lyer Telephone: (+44) 7739 579 694

e-mail: info@colourlock.com
Internet: https://www.colourlock.com
Responsible Department: Opening Mo - Fr. 09.00 - 17.00 CET

1.4. Emergency telephone +49 (0)551- 770730 Only available during office hours.

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

R phrases: Flammable.



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 2 of 10

Vapours may cause drowsiness and dizziness.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 3

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour.

May cause drowsiness or dizziness.

# 2.2. Label elements

### Hazard components for labelling

1-methoxy-2-propanol; monopropylene glycol methyl ether

Signal word: Warning
Pictograms: GHS02-GHS07





### **Hazard statements**

H226 Flammable liquid and vapour.H336 May cause drowsiness or dizziness.

### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground/bond container and receiving equipment.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P378 Use Carbon dioxide (CO2)Water spray jet to extinguish.

P501 Send to a hazardous waste incinerator facility under observation of official regulations.

# 2.3. Other hazards

No information available.

# SECTION 3: Composition/information on ingredients

### 3.1. Substances



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 3 of 10

#### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
203-539-1	1-methoxy-2-propanol; monopropylene glycol methyl ether	95 - < 100 %
107-98-2	R10-67	
603-064-00-3	Flam. Liq. 3, STOT SE 3; H226 H336	
216-455-5	2-methoxypropanol	< 1 %
1589-47-5	Repr. Cat. 2, Xi - Irritant R10-61-37/38-41	
603-106-00-0	Flam. Liq. 3, Repr. 1B, STOT SE 3, Skin Irrit. 2, Eye Dam. 1; H226 H360D *** H335 H315 H318	

Full text of R, H and EUH phrases: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Medical treatment necessary.

### After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do



according to Regulation (EC) No 1907/2006

GLD-Lösung

Print date: 02.05.2017 Page 4 of 10

not allow entering drains or surface water.

### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL

# 8.2. Exposure controls



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 5 of 10





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: whitish

**Test method** 

pH-Value (at 20 °C):

Changes in the physical state

Melting point: -97 °C Initial boiling point and boiling range: 120,3 °C Flash point: 35 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 1,5 vol. %
Upper explosion limits: 13,7 vol. %

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined



according to Regulation (EC) No 1907/2006

# GLD-Lösung

Print date: 02.05.2017 Page 6 of 10

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: 13 hPa

(at 20 °C)

Density (at 20 °C): 0,92 g/cm³
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: -0,437 Viscosity / dynamic: 1.9 mPa·s

(at 20 °C)

Vapour density: not determined Evaporation rate: not determined Solvent content: 99,60 %

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Flammable, Ignition hazard.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Method	Dose	Species	Source
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether				
	oral	LD50	> 5000 mg/kg	Rat	IUCLID
	dermal	LD50	11000 mg/kg	Rabbit	



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 7 of 10

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (1-methoxy-2-propanol; monopropylene glycol methyl ether)

# Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

Substance related information: dangerous health properties, Special hazards arising from the substance or mixture, Classification according to Regulation (EC) No. 1272/2008 [CLP]

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source	
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether						
	Acute fish toxicity	LC50 mg/l	4600 - 10000	96 h	Leuciscus idus	IUCLID	
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50	> 500 mg/l	48 h	Daphnia magna	IUCLID	

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 8 of 10

### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

# Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 3092

1-METHOXY-2-PROPANOL

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Other applicable information (land transport)

: 3 : D/E

# Inland waterways transport (ADN)

**14.1. UN number:** UN 3092

1-METHOXY-2-PROPANOL

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1

# Marine transport (IMDG)

**14.1. UN number:** UN 3092

14.2. UN proper shipping name: 1-METHOXY-2-PROPANOL

14.3. Transport hazard class(es): 3
14.4. Packing group: ||||



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 9 of 10

Hazard label: 3

3

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

5 L

E1

F-E, S-D

#### Other applicable information (marine transport)

Special provisions: -

### Air transport (ICAO)

**14.1. UN number:** UN 3092

14.2. UN proper shipping name: 1-METHOXY-2-PROPANOL

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Limited quantity Passenger: 10 L
Passenger LQ: Y344
Excepted quantity: E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

# Other applicable information (air transport)

220 L

# 14.6. Special precautions for user

Warning: Combustible liquid.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

2010/75/EU (VOC): 100 % (920 g/l) 2004/42/EC (VOC): 100 % (920 g/l)

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

# National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.



according to Regulation (EC) No 1907/2006

# **GLD-Lösung**

Print date: 02.05.2017 Page 10 of 10

Water contaminating class (D): 1 - slightly water contaminating

# 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant R phrases (number and full text)

10	Flammable.
37/38	Irritating to recnirat

37/38 Irritating to respiratory system and skin.
41 Risk of serious damage to eyes.
61 May cause harm to the unborn child.

Vapours may cause drowsiness and dizziness.

# Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H360D May damage the unborn child.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.