



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

Dodo Juice Critical Finish

Revision 0

Revision date 2021-03-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|----------------------------|
| Product name | Dodo Juice Critical Finish |
|--------------|----------------------------|

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|---|
| Product Use | [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; |
|-------------|---|

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------------------------|--|
| Company | Dodo Juice Limited |
| Address | Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK |
| Web | www.dodojuice.com |
| Telephone | +44(0)1279 812687 |
| Email | factory@dodojuice.com |
| Email address of the competent person | factory@dodojuice.com |

1.4. Emergency telephone number

| | |
|----------------------------|-----------------------------|
| Emergency telephone number | +44(0)7891 096802 |
| Company | Dodo Juice Ltd 0700-2300 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| | |
|--------------------------------------|------------------------|
| 2.1.2. Classification - EC 1272/2008 | No Significant Hazard. |
|--------------------------------------|------------------------|

2.2. Label elements

| | |
|------------------|-----------------------|
| Hazard Statement | No Significant Hazard |
|------------------|-----------------------|

2.3. Other hazards

| | |
|---------------|-------|
| Other hazards | None. |
|---------------|-------|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Dodo Juice Critical Finish

Revision 0
Revision date 2021-03-30

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--|-----------|----------|-----------|---------------------------|--------------|---|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | | | 926-141-6 | | 10 - 20% | EUH066; Asp. Tox. 1: H304; |
| Octanal | | 124-13-0 | 204-683-8 | | 0 - 0.5% | Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. |
| Ingestion | DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------|---|
| Inhalation | May cause irritation to mucous membranes. |
| Eye contact | May cause irritation to eyes. |
| Skin contact | Repeated exposure may cause skin dryness or cracking. |
| Ingestion | May cause irritation to mucous membranes. |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|---|
| | Use extinguishing media appropriate to the surrounding fire conditions. |
|--|---|

5.2. Special hazards arising from the substance or mixture

| | |
|--|---|
| | Burning produces irritating, toxic and obnoxious fumes. |
|--|---|

5.3. Advice for firefighters

| | |
|--|---|
| | Wear suitable respiratory equipment when necessary. |
|--|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|--|--|
| | Ensure adequate ventilation of the working area. |
|--|--|

6.2. Environmental precautions

| | |
|--|---|
| | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

6.3. Methods and material for containment and cleaning up

| | |
|--|---|
| | Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |
|--|---|

6.4. Reference to other sections

| | |
|--|---|
| | SECTION 8: Exposure controls/personal protection. |
|--|---|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|--|--|
| | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
|--|--|

7.2. Conditions for safe storage, including any incompatibilities

Dodo Juice Critical Finish

Revision 0

Revision date 2021-03-30

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3. Specific end use(s)

Wear suitable gloves.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

| | | |
|--|---|---|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | WEL 8-hr limit ppm: | WEL 8-hr limit mg/m3: 1200 |
| | WEL 15 min limit ppm: | WEL 15 min limit mg/m3: |
| | WEL 8-hr limit mg/m3 total inhalable dust: | WEL 15 min limit mg/m3 total inhalable dust: |
| | WEL 8-hr limit mg/m3 total respirable dust: | WEL 15 min limit mg/m3 total respirable dust: |
| Potassium hydroxide | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total inhalable dust: - | WEL 15 min limit mg/m3 total inhalable dust: - |
| | WEL 8-hr limit mg/m3 total respirable dust: - | WEL 15 min limit mg/m3 total respirable dust: - |
| Sodium hydroxide | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total inhalable dust: - | WEL 15 min limit mg/m3 total inhalable dust: - |
| | WEL 8-hr limit mg/m3 total respirable dust: - | WEL 15 min limit mg/m3 total respirable dust: - |

8.2. Exposure controls

| | |
|---|--|
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. |
| 8.2.2. Individual protection measures | Wear protective clothing. |
| Eye / face protection | In case of splashing, wear: Approved safety goggles. |
| Skin protection - Handprotection | Chemical resistant gloves (PVC). |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dodo Juice Critical Finish

Revision 0

Revision date 2021-03-30

9.1. Information on basic physical and chemical properties

| | |
|----------------------------------|--|
| Appearance | Viscous liquid. |
| Colour | Violet/Opaque |
| Odour | Perfumes |
| Odour threshold | No data available |
| pH | No data available |
| Melting point | Not applicable. |
| Freezing Point | No data available |
| Initial boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Fat Solubility | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | > 600 x 10 ⁻⁶ m ² /s @ 40 °C (ISO 3104/3105) |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Miscible in water |

9.2. Other information

| | |
|---|-------------------------|
| Conductivity | No data available |
| Surface tension | No data available |
| Specific gravity | 1.005 g/cm ³ |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic compounds) | 155 g/l |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|--|------------------------|
| | No Significant Hazard. |
|--|------------------------|

10.2. Chemical stability

| | |
|--|---------------------------------|
| | Stable under normal conditions. |
|--|---------------------------------|

10.3. Possibility of hazardous reactions

| | |
|--|-------|
| | None. |
|--|-------|

10.4. Conditions to avoid

| | |
|--|---|
| | Avoid sparks, flames, heat and sources of ignition. |
|--|---|

10.5. Incompatible materials

| | |
|--|-------|
| | None. |
|--|-------|

10.6. Hazardous decomposition products

| | |
|--|---|
| | Carbon monoxide may be formed in fire conditions. |
|--|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------|------------------------|
| Acute toxicity | No Significant Hazard. |
|-----------------------|------------------------|

Dodo Juice Critical Finish

Revision 0

Revision date 2021-03-30

11.1. Information on toxicological effects

| | |
|-----------------------------------|---------------------------------------|
| Skin corrosion/irritation | May cause irritation to skin. |
| Serious eye damage/irritation | May cause irritation to eyes. |
| Respiratory or skin sensitisation | No data is available on this product. |
| Germ cell mutagenicity | No data is available on this product. |
| Carcinogenicity | No data is available on this product. |
| Reproductive toxicity | No data is available on this product. |
| STOT-single exposure | No data is available on this product. |
| STOT-repeated exposure | No data is available on this product. |
| Aspiration hazard | No Significant Hazard. |
| Repeated or prolonged exposure | May cause degreasing of the skin. |

11.1.4. Toxicological Information

| | | |
|--|------------------------------------|-------------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | Oral Rat LD50: 5000mg/kg | Dermal Rabbit LD50: 5000mg/kg |
| | Inhalation Rat LC50/4 h: >5000mg/l | |

SECTION 12: Ecological information

12.1. Toxicity

| | | |
|--|---|-----------------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | Algae IC50/72h: 20.0000 mg/l | Algae EC50/72h: >1000mg/l |
| | Daphnia LC50/48h: >1000 mg/l NOEC / EC10 for marine or freshwater organisms 1.2200 mg/l | Rainbow trout LC50/96h: >1000mg/l |

12.2. Persistence and degradability

| | |
|--|------------------------|
| | Readily biodegradable. |
|--|------------------------|

12.3. Bioaccumulative potential

| | |
|--|-------------------------|
| | Does not bioaccumulate. |
|--|-------------------------|

Partition coefficient

| | |
|--|--|
| | Dodo Juice Critical Finish No data available |
|--|--|

12.4. Mobility in soil

| | |
|--|--------------------|
| | Miscible in water. |
|--|--------------------|

12.5. Results of PBT and vPvB assessment

| | |
|--|--|
| | PBT not applicable. vPvB not applicable. |
|--|--|

12.6. Other adverse effects

| | |
|--|------------------------|
| | No Significant Hazard. |
|--|------------------------|

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| | 07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics. |
|--|---|

General information

| | |
|--|---|
| | Dispose of in compliance with all local and national regulations. |
|--|---|

Dodo Juice Critical Finish

Revision 0

Revision date 2021-03-30

| | |
|-------------------------|--|
| Disposal methods | |
| | Can be incinerated if in compliance with local regulations. For small quantities: Dilute with water. |

SECTION 14: Transport information

| | |
|---|--|
| 14.1. UN number | |
| | The product is not classified as dangerous for carriage. |
| 14.2. UN proper shipping name | |
| | The product is not classified as dangerous for carriage. |
| 14.3. Transport hazard class(es) | |
| | The product is not classified as dangerous for carriage. |
| 14.4. Packing group | |
| | The product is not classified as dangerous for carriage. |
| 14.5. Environmental hazards | |
| | The product is not classified as dangerous for carriage. |
| 14.6. Special precautions for user | |
| | The product is not classified as dangerous for carriage. |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | |
| | The product is not classified as dangerous for carriage. |

| | |
|----------------------------|--|
| Further information | |
| | The product is not classified as dangerous for carriage. |

SECTION 15: Regulatory information

| | |
|---|---|
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
| 15.2. Chemical safety assessment | |
| | No data is available on this product. |

SECTION 16: Other information

| | |
|---|--|
| Other information | |
| Text of Hazard Statements in Section 3 | EUH066 - Repeated exposure may cause skin dryness or cracking. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. |
| Maximum content of VOC | 155 g/l. |

| | |
|----------------------------|--|
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |