



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

MATERIAL SAFETY DATA SHEET CAR WAXES

GENERAL

Date	12/12/08
Revision Number	1
Date of First Issue	15/08/07
Manufacturer	Dodo Juice Ltd / Mitrechem Ltd
Address	275 Desborough Ave, High Wycombe, Bucks HP11 2TL
Emergency Telephone Number	+44 (0)7990 518430, +44(0)1279 813222
Information Telephone Number	+44 (0)7990 518430

1. IDENTITY

Commercial Name	Dodo Juice
Product Description	Vehicle wax, coating for cosmetic and protection purposes.
Identity (Label/List)	Banana Armour, Blue Velvet, Diamond White, Hard Candy, Light Fantastic, Orange Crush, Purple Haze, Rainforest Rub, Supernatural, Supernatural Machine Stick

2. COMPOSITION

General	Proprietary blend.
---------	--------------------

HAZARDOUS INGREDIENTS (1)

Component	Petroleum distillates.
%	50-60
EINECS No.	265-149-8
CAS No.	64742-47-8
Symbol / Risk Phrase	Xn/R65, R66

3. HAZARDS

Health	Repeated exposure to petroleum distillates may cause skin dryness/cracking.
Physical / Chemical	None.
Fire / Explosion	None.

Dodo Juice Ltd is registered in England.
Registered address: 275 Desborough Ave, High Wycombe, Bucks HP11 2TL.
Company number: 06183699. VAT number: UK 912 9601 32.



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

4. FIRST AID MEASURES

Inhalation	Not applicable.
Eye Contact	Rinse with plenty of water, until irritation subsides. If irritation persists, seek medical advice.
Ingestion	Do not induce vomiting. Get medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Any.
Media NOT to be Used	Not applicable.
Special Precautions	Beware slippery conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	See Section 8.
Small Spills	Floor may become slippery. Absorb with inert material such as sand or vermiculite.
Large Spills	Collect the spill in a suitable container. Beware slippery conditions.
Cleaning Up	Use an industrial cleaner and plenty of water. Beware slippery conditions.

7. HANDLING AND STORAGE

Handling and Storage Precautions	Keep container tightly closed. Avoid extremes of temperature. Keep away from heat sources, sparks, naked flames and strong oxidants.
---	--

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Respiratory	Use outdoors or in an adequately ventilated area.
Skin	Avoid contact with sensitive skin. Avoid sustained, prolonged or repeated contact with skin. Wash skin with soap and water after use.
Eye	Not applicable in normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Coloured solid (Supernatural waxes uncoloured).
Odour	Scented (Supernatural waxes unscented).
Boiling Point / Range	199 - 257°C
Flash Point	75°C
Flammability	Low
Autoflammability	>200°C
Explosive Properties	0.6 - 7 vol%
Water solubility	Non-miscible.



THE DODO@DODOJUICE.COM
WWW.DODOJUICE.COM

10. STABILITY AND REACTIVITY

Stability	Stable.
Conditions to Avoid	None.
Materials to Avoid	Strong oxidants / oxidising agents.
Hazardous Decomposition Products	None.
Explosion Hazards	None.
Fire Hazards	None.

11. TOXICOLOGICAL DATA

Skin Contact	Frequent or prolonged contact to petroleum distillates may cause irritation and dermatitis. Low order of toxicity.
Eye Contact	Irritating but does not injure eye tissue.
Ingestion	Minimal toxicity.

12. ECOLOGICAL INFORMATION

Biodegradation	Inherently biodegradable.
Aquatic Toxicity	No acute toxicity to aquatic organisms anticipated.

13. DISPOSAL CONDITIONS

Method	Use certified chemical waste disposal.
--------	--

14. TRANSPORT INFORMATION

Regulated / Non-regulated	Not regulated.
---------------------------	----------------

15. REGULATORY INFORMATION

Applicable Regulations	None.
------------------------	-------

16. OTHER INFORMATION

Coloured waxes may mildly discolour cloths and applicator pads used to apply or remove the product. Waxes may be more difficult to remove if applied to hot surfaces or if left to over-cure. Remove stubborn residue from surface of vehicle with water spray.

DISCLAIMER: The data herein is given in good faith and based on the best of our knowledge at the date of issue of this document. Each user is responsible for determining the suitability of the material in their particular application and that such usage complies with applicable legislative rules and regulations. However, no representation, warranty of guarantee is made as to its accuracy, reliability or completeness.