

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

Freshly Juiced Air Freshener

Revision 0 Revision date 2015-06-23

SECTION 1: Identification of	f the substance/mixture and	of the company/undertaking

1.1. Product identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use

[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles;

1.3. Details of the supplier of the safety data sheet

Company

Dodo Juice Limited

Address

Unit 10

Golds Nurseries Business Park

Jenkins Drive Elsenham Bishops Stortford CM22 6JX

UK

 Web
 www.dodojuice.com

 Telephone
 +44(0)1279 813222

Email address of the competent person

factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number

Company

+44(0)7891 096802

Dodo Juice Ltd

24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification -	EC
1272/2008	

Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

Warning

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Revision 0 Revision date 2015-06-23

2.2. Label elements

Precautionary Statement:	P264 - Wash thoroughly after handling.
Prevention	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to hazardous waste.
Disposal	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
monopropylene glycol (Propane-1,2-diol total vapour and		57-55-6	200-338-0		40 - 50%	Ó	
particulates) Benzyl benzoate	607-085-00-9	120-51-4	204-402-9		0.5 - 1%	% Xn; R22 N; R51/53	
5-heptyloxolan-2-one		104-67-6	203-225-4		0 - 0.5%	% N; R51/53	
Alkylbenzene sulphonic acid, isopropylamine salt		26264-05-1	247-556-2		1 - 10%	% Xn; R22 Xi; R38-41	
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	% Xi; R36	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
monopropylene glycol		57-55-6	200-338-0		40 - 50%		
(Propane-1,2-diol total vapour and particulates)							
5-heptyloxolan-2-one		104-67-6	203-225-4		0 - 0.5%	Aquatic Acute 1: H400;	
						Aquatic Chronic 1: H410;	
						Aquatic Chronic 2: H411;	
						Aquatic Chronic 3: H412;	
Jasmal		18871-14-2			0 - 0.5%	Aquatic Acute 1: H400;	
						Aquatic Chronic 1: H410;	
						Aquatic Chronic 2: H411;	
						Aquatic Chronic 3: H412;	
Alkylbenzene sulphonic acid,		26264-05-1	247-556-2		1 - 10%	Acute Tox. 4: H302; Skin Irrit	t.
isopropylamine salt						2: H315; Eye Dam. 1: H318;	
sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical
	attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical
	attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye contact	Irritating to eyes.
Skin contact	May cause sensitisation by skin contact.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Revision 0 Revision date 2015-06-23

4.3. Indication of any immediate	medical attention and special treatment needed
Eye contact	Seek medical attention.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental release	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	ng
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
7.3. Specific end use(s)	
	Do not breathe gas/fumes/vapour/spray.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	

8.1.1. Exposure Limit Values

monopropylene glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
monopropylene glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
(Propane-1,2-diol total vapour and particulates)		
,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:



Revision 0
Revision date 2015-06-23

DNEL: Derived no-effect level.

Exposure Pattern - Workers

monopropylene glycol	Acute inhalation - Systemic 168 mg/m³
	effects

Exposure Pattern - General population

monopropylene glycol	Acute inhalation - Systemic 50 mg/m³
	effects

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection

Not normally required.

measures
Eye / face protection

Not normally required.

Skin protection - Handprotection

Wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Colourless
Odour Perfumes

Viscosity
7 sec. 3 mm (ISO 2431)
Solubility
Miscible in water

9.2. Other information

Specific gravity 1.02 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

No Significant Hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

10.5. Incompatible materials

None.

10.6. Hazardous decomposition products

Carbon monoxide may be formed in fire conditions.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

monopropylene glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: >20000 mg/kg
sodium xylene sulphonate	Oral Rat LD50: 7200mg/kg	Dermal Rabbit LD50: 2000mg/kg



Revision 0
Revision date 2015-06-23

SECTION 12: Ecological information

	_		-	_		
1	"	1		n	YI	citv

monopropylene glycol	Daphnia LC50/48h: >4850 mg/l	Guppy LC50/96h: >44000 mg/l
sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l	Algae IC50/72h: 230.0000 mg/l
	Fish LC50/96h: 1000.0000 mg/l	

12.2. Persistence and degradability

Readily biodegradable.

12.3. Bioaccumulative potential

Does not bioaccumulate.

12.4. Mobility in soil

Miscible in water.

12.5. Results of PBT and vPvB assessment

PBT not applicable. vPvB not applicable.

12.6. Other adverse effects

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations. Do not empty into drains.

Disposal methods

Can be incinerated if in compliance with local regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of



Revision 0 Revision date 2015-06-23

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Text of risk phrases in Section	R22 - Harmful if swallowed.
3	R36 - Irritating to eyes.
	R38 - Irritating to skin.
	R41 - Risk of serious damage to eyes.
	R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Text of Hazard Statements in	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Section 3	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Eye Irrit. 2: H319 - Causes serious eye irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.