



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

Supernatural Leather Sealant

Revision 0

Revision date 2013-06-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Supernatural Leather Sealant
--------------	------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
-------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 813222
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	R10-67 Symbols:
Main hazards	Flammable. Vapours may cause drowsiness and dizziness.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Zirconium acetate		7585-20-8	231-492-7		1 - 10%	Xi; R36/37
Isopropanol	603-117-00-0	67-63-0	200-661-7		10 - 20%	F; R11 Xi; R36 R67

Supernatural Leather Sealant

Revision 0

Revision date 2013-06-17

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause dizziness and headache.
------------	-----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
-----------	---------------------------------------------------------------------------------------------------------

General information

	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
--	-------------------------------------------------------------------------------------------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	Carbon oxides. Alcohol resistant foam.
--	----------------------------------------

5.2. Special hazards arising from the substance or mixture

	. Burning produces irritating, toxic and obnoxious fumes.
--	-----------------------------------------------------------

5.3. Advice for firefighters

	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
--	------------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Eliminate all sources of ignition. Wear suitable protective equipment.
--	------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	-------------------------------------------------------------------------

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	-----------------------------------------------------------------------------------------------------------------------------------------------------

6.4. Reference to other sections

	SECTION 7: Handling and storage.
--	----------------------------------

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--------------------------------------------------------------------------------------------------------------------

7.3. Specific end use(s)

	Do not spray on naked flame or any other incandescent material. Do not breathe gas/fumes/vapour/spray. Keep out of the reach of children.
--	-------------------------------------------------------------------------------------------------------------------------------------------

Supernatural Leather Sealant

Revision 0

Revision date 2013-06-17

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Isopropanol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	White
Odour	Alcoholic
Freezing Point	-7 °C
Flash point	29 °C (ASTM D-93)
Relative density	0.969 (Water = 1 @ 20 °C)
Autoignition temperature	350 °C
Viscosity	8 sec. 3 mm (ISO 2431)
Solubility	Miscible in water

9.2. Other information

VOC (Volatile organic compounds)	160 g/l
----------------------------------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

	No Significant Hazard.
--	------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

10.5. Incompatible materials

	Oxidising agents.
--	-------------------

10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	No irritation expected.
---------------------------	-------------------------

Supernatural Leather Sealant

Revision 0

Revision date 2013-06-17

11.1. Information on toxicological effects

Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	No sensitization effects reported.

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

12.4. Mobility in soil

	Miscible in water. No data is available on this product.
--	----------------------------------------------------------

12.5. Results of PBT and vPvB assessment

	PBT no. vPvB no.
--	------------------

12.6. Other adverse effects

	None.
--	-------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	07 01 99 wastes not otherwise specified.
--	------------------------------------------

General information

	Dispose of in compliance with all local and national regulations.
--	-------------------------------------------------------------------

Disposal methods

	Flush down the drain with plenty of water.
--	--------------------------------------------

Disposal of packaging

	Empty containers can be sent for disposal or recycling.
--	---------------------------------------------------------

SECTION 14: Transport information

Hazard pictograms

	
--	-------------------------------------------------------------------------------------

14.1. UN number

	UN1993
--	--------

14.2. UN proper shipping name

	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
--	----------------------------------------

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3

Supernatural Leather Sealant

Revision 0

Revision date 2013-06-17

14.3. Transport hazard class(es)	
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	Do not breathe dust/fume/gas/mist/vapours/spray. Do not spray on an open flame or other ignition source.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	No data available.
Labelling	
Risk phrases	The product is classified in accordance with 67/548/EEC. R10 - Flammable. R67 - Vapours may cause drowsiness and dizziness.
SECTION 16: Other information	
Other information	
Text of risk phrases in Section 3	R11 - Highly flammable. R36/37 - Irritating to eyes and respiratory system. R36 - Irritating to eyes. R67 - Vapours may cause drowsiness and dizziness.
Maximum content of VOC	160 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.