



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

Fantastic Plastic Trim Dressing

Revision 0

Revision date 2011-09-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Fantastic Plastic Trim Dressing
--------------	---------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [AC1] Vehicles; ----- [SU21] Consumer uses: Private households (= general public = consumers); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [AC1] Vehicles;
-------------	---

1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 813222
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	F; R11 Xi; R36 R67 Symbols: F: Highly flammable. Xi: Irritant.
Main hazards	Highly flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.

2.3. Other hazards

Other hazards	None.
---------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Fantastic Plastic Trim Dressing

Revision 0

Revision date 2011-09-01

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		80 - 90%	F; R11 Xi; R36 R67

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Vapours may cause drowsiness and dizziness. Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause drowsiness or dizziness.
------------	------------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Carbon oxides. Do NOT use water jet.
--	--------------------------------------

5.2. Special hazards arising from the substance or mixture

	Highly flammable. Vapour may travel considerable distance to source of ignition and flash back. Burning produces irritating, toxic and obnoxious fumes. Carbon oxides. Nitrogen oxides.
--	---

5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.
--	--

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

7.3. Specific end use(s)

	Do not breathe gas/fumes/vapour/spray.
--	--

Fantastic Plastic Trim Dressing

Revision 0

Revision date 2011-09-01

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	Red
Odour	Perfumes/Alcoholic
Flash point	12 °C (ASTM D-93)

9.2. Other information

Specific gravity	0.79 g/cm ³
VOC (Volatile organic compounds)	790 g/l

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

10.5. Incompatible materials

	Oxidising agents.
--	-------------------

10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes. Carbon oxides. Nitrogen oxides.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Irritating to skin. Vapours may cause drowsiness and dizziness.
----------------	---

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
--	-------------------

12.2. Persistence and degradability

Fantastic Plastic Trim Dressing

Revision 0

Revision date 2011-09-01

12.2. Persistence and degradability

	Readily biodegradable. Soluble in water.
--	--

12.3. Bioaccumulative potential

	Does not bioaccumulate.
--	-------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data available.
--	--------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

	Contact a licensed waste disposal company.
--	--

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

	UN1219
--	--------

14.2. UN proper shipping name

	ISOPROPANOL
--	-------------

14.3. Transport hazard class(es)

ADR/RID	3
---------	---

Subsidiary risk	-
-----------------	---

IMDG	3
------	---

Subsidiary risk	-
-----------------	---

IATA	3
------	---

Subsidiary risk	-
-----------------	---

14.4. Packing group

Packing group	II
---------------	----

14.5. Environmental hazards

Environmental hazards	No
-----------------------	----

Marine pollutant	No
------------------	----

ADR/RID

Hazard ID	33
-----------	----

Tunnel Category	(D/E)
-----------------	-------

IMDG

EmS Code	F-E S-D
----------	---------

IATA

Packing Instruction (Cargo)	364
-----------------------------	-----



Maximum quantity	60 L
------------------	------

Packing Instruction (Passenger)	353
---------------------------------	-----

Fantastic Plastic Trim Dressing

Revision 0

Revision date 2011-09-01

IATA	
Maximum quantity	5 L
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	No data available.
Labelling	
Symbols	The product is classified in accordance with 67/548/EEC. F: Highly flammable. Xi: Irritant.  
Risk phrases	R11 - Highly flammable. R36 - Irritating to eyes. R67 - Vapours may cause drowsiness and dizziness.
Safety phrases	S16 - Keep away from sources of ignition - No smoking.
SECTION 16: Other information	
Other information	
Text of risk phrases in Section 3	R11 - Highly flammable. R36 - Irritating to eyes. R67 - Vapours may cause drowsiness and dizziness.
Maximum content of VOC	790 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.