Trade name: NanoMagicPlastCare Product no.: 77707999 Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

NanoMagicPlastCare

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Plastic exterior care, silicone oil-free

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







Signal word Danger



Trade name: NanoMagicPlastCa	are	
Product no.: 77707999		
Current version : 1.0.0, issued: 10.09.20	20 Replaced version: -, issued: -	Region: GB
Hazardous component(s) Hydrocarbons, C7-C9, n-al		
Hazard statement(s)		
H225	Highly flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Hazard statements (EU)		
EUH066	Repeated exposure may cause skin dryness or cracking.	
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition s smoking.	ources. No
P261	Avoid breathing vapours/spray.	
P273	Avoid release to the environment.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P370+P378	In case of fire: Use water spray, extinguishing powder, foam or CO2 to exting	uish.
P501	Dispose of contents/container to a facility in accordance with local and nation regulations.	al

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
		S / EC / Index / Classification (EC) 1272/2008 (CLP) Concentration		%		
	REACH no					
1	Hydrocarbons, C7-	C9, n-alkanes, isoalkanes, cyclics				
	-	Asp. Tox. 1; H304	>=	70.00 - <	90.00	%-b.w.
	920-750-0	Aquatic Chronic 2; H411				
	-	Flam. Liq. 2; H225				
	01-2119473851-33	STOT SE 3; H336				
		EUH066				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off with water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting - aspiration hazard. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Effects

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name				I
	Route of exposure Exposure time Effect				
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
				920-750-0	
	dermal	Long term (chronic)	systemic	773	mg/kg/day
	inhalative	Long term (chronic)	systemic	2035	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure Exposure time Effect			Value	
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics			-	
				920-750-0	
	oral	Long term (chronic)	systemic	699	mg/kg/day
	dermal	Long term (chronic)	systemic	699	mg/kg/day
	inhalative	Long term (chronic)	systemic	608	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	nitrile		
Material thickness		0.4	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour			
liquid			
colourless			
Odour			
of lemon			
Odour threshold			
No data available			
pH value			
No data available			
Boiling point / boiling range			
Value		105	°C
Reference substance	EC 920-750-0		-
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value		0	°C
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			

rade name: NanoMagicPlastCare				
roduct no.: 77707999				
urrent version : 1.0.0, issued: 10.09.2020	Replaced v	version: -, iss	ued: -	Region: G
Lower flammability or explosive limits				
No data available				
Upper flammability or explosive limits				
No data available				
Vapour pressure				
No data available				
Vapour density				
No data available				
Evaporation rate				
No data available				
Relative density				
No data available				
Density				
Value		0.76	g/cm ³	
Reference temperature		20	°C	
Solubility in water				
No data available				
Solubility(ies)				
No data available				
Partition coefficient: n-octanol/water				
No data available				
Viscosity				
Value	<	7	mm²/s	
Reference temperature		40	°C	
Туре	kinematic			

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid Heat, naked flames and other ignition sources.

10.5 Incompatible materials strong oxidizing agents

10.6 Hazardous decomposition products None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

Acu	te oral toxicity				
No			CAS no.		EC no.
1	Hydrocarbons, C7-C9, n-alkanes, isoalk cyclics	anes,	-		920-750-0
LD5	0	>		5840	mg/kg bodyweight
Spe		rat			
Sou	rce	ECHA			
Acu	te dermal toxicity				
No			CAS no.		EC no.
1	Hydrocarbons, C7-C9, n-alkanes, isoalka cyclics	•	-		920-750-0
LD5		> 2800	-	3100	mg/kg bodyweight
Spe		rat			
Sou	ce	ECHA			
Acu	te inhalational toxicity				
No			CAS no.		EC no.
1	Hydrocarbons, C7-C9, n-alkanes, isoalk cyclics	anes,	-		920-750-0
LC5		>		23.3	mg/l
	ation of exposure) (a m. a		4	h
Stat	e of aggregation	Vapour rat			
Sou		ECHA			
		2017			
	corrosion/irritation				
No 1			CAS no.		EC no.
-	Hydrocarbons, C7-C9, n-alkanes, isoalk cyclics		-		920-750-0
Spe		rabbit			
Metl Sou		OECD 404 ECHA			
	uation	non-irritant			
	ous eye damage/irritation		010		50
No 1	Substance name Hydrocarbons, C7-C9, n-alkanes, isoalka		CAS no.		EC no. 920-750-0
-	cyclics		-		920-750-0
Spe Sou		rabbit ECHA			
	uation	non-irritant			
-	piratory or skin sensitisation				F.0
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C7-C9, n-alkanes, isoalk cyclics	anes,	-		920-750-0
Rou	te of exposure	Skin			
Spe		guinea pig			
Sou		ECHA			
	uation	non-sensitizi	ng		
Gor	m cell mutagenicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes.	-		920-750-0
	cyclics				
Sou	rce	ECHA			
Eva	uation/classification	Based on av	ailable data, the	e classificatio	n criteria are not met.
Ron	roduction toxicity				
Iteh					

Trade name: NanoMagicPlastCare Product no.: 77707999 Current version : 1.0.0, issued: 10.09.2020 Replaced version: -, issued: -Region: GB No Substance name CAS no. EC no. Hydrocarbons, C7-C9, n-alkanes, isoalkanes, 920-750-0 1 cyclics ECHA Source Evaluation/classification Based on available data, the classification criteria are not met. Carcinogenicity No data available STOT - single exposure No data available STOT - repeated exposure No Substance name CAS no. EC no. 920-750-0 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, 1 cyclics Route of exposure inhalational Species rat Source **ECHA** Evaluation/classification Based on available data, the classification criteria are not met. Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
NoSubstance nameCAS no.EC no.	
1 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, - 920-750	-0
cyclics	
LL50 3 - 10 n	ng/l
Duration of exposure 96 h	า
Species Oncorhynchus mykiss	
Method OECD 203	
Source ECHA	
Toxicity to fish (chronic)	
NoSubstance nameCAS no.EC no.	
InternationalCAS No.Lo no.1Hydrocarbons, C7-C9, n-alkanes, isoalkanes,-920-750	L_0
cyclics	-0
	ng/l
	day(s)
Species Oncorhynchus mykiss	
Method (Q)SAR	
Source	
Toxicity to Daphnia (acute)	
NoSubstance nameCAS no.EC no.	
1Hydrocarbons, C7-C9, n-alkanes, isoalkanes,-920-750	-0
cyclics	
	ng/l
Duration of exposure 48 h	ו
Species Daphnia magna	
Method OECD 202	
Source ECHA	
Toxicity to Daphnia (chronic)	
No Substance name CAS no. EC no.	
1Hydrocarbons, C7-C9, n-alkanes, isoalkanes,-920-750	-0

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.202
--

Replaced version: -, issued: -

Region: GB

cyclics							
NOELR	1	- 1.6	mg/l				
Duration of exposure		21	day(s)				
Species	Daphnia magna						
Method	OECD 211						
Source	ECHA						
Toxicity to algae (acute)							
No Substance name	CAS no.		EC no.				
1 Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0				
cyclics							
EL50	10	- 30	mg/l				
Duration of exposure		72	h				
Species	Pseudokirchneriella subca	pitata					
Method	OECD 201						
Source	ECHA						
Toxicity to algae (chronic)							
No Substance name	CAS no.		EC no.				
1 Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0				
cyclics							
NOELR		6.3	mg/l				
Duration of exposure		3	day(s)				
Species	Pseudokirchneriella subca	pitata					

Bacteria toxicity

Method

Source

No data available

12.2 Persistence and degradability

Bioc	Biodegradability								
No	Substance name	CAS no.		EC no.					
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, - cyclics			920-750-0					
Type aerobic biodegradation									
Value			98	%					
Dura	ation		28	day(s)					
Meth	nod	OECD 301 F							
Source		ECHA							
Eval	uation	readily biodegradable							

OECD 201

ECHA

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessme	ent
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge into the drains or waters and do not store on public depositories.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

14.1	Class Classification code	3 F1
	Packing group	II II
	Hazard identification no.	33
	UN number	UN1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.
	Technical name Special Provision 640	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 640D
	Tunnel restriction code	040D
	Label	3
	Environmentally hazardous	Symbol "fish and tree"
	substance mark	
14.2	Transport IMDG	
	Class	3
	Packing group	
	UN number	UN1993 FLAMMABLE LIQUID, N.O.S.
	Proper shipping name Technical name	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics
	EmS	F-E, S-E
	Label	3
	Marine pollutant mark	Symbol "fish and tree"
14.3	Transport ICAO-TI / IATA	
	Class	3
	Packing group	
	UN number	UN1993
	Proper shipping name Technical name	Flammable liquid, n.o.s. Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics
	Label	3
14.4	Other information	
	No data available.	
14.5	Environmental hazards Information on environmental haz	zards, if relevant, please see 14.1 - 14.3.

E2, P5b

Trade name: NanoMagicPlastCare Product no.: 77707999

Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

14.6 Special precautions for user No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES			
The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40		

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Trade name: NanoMagicPlastCare Product no.: 77707999 Current version : 1.0.0, issued: 10.09.2020

Replaced version: -, issued: -

Region: GB

Prod-ID 769568