

Safety Data Sheet

Copyright, 2019, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group: | 32-0130-8 | Version number: | 5.00 |
|------------------------|---------------------------|------------------|------------|
| Revision date: | 18/10/2019 | Supersedes date: | 25/07/2018 |
| Transportation version | number: 1.00 (26/02/2014) | | |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G126, NXT Car Wash (27-73C): G12619, G12664

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Skin Sensitization, Category 1A - Skin Sens. 1A; H317 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD WARNING.

Symbols: GHS07 (Exclamation mark) |

Pictograms



| Ingredients: Ingredient | | CAS Nbr | EC No. | % by Wt |
|---|--|--|---------------------------|-----------------------|
| Mixture of 5-chloro-2-methyl-2H and 2-methyl-2H-isothiazol-3-one | | 55965-84-9 | 911-418-6 | 0 - 0.002 |
| HAZARD STATEMENTS: H319 H315 H317 | Causes serious eyo Causes skin irritat May cause an alle | ion. | | |
| H412 | - | c life with long lasting effects. | | |
| PRECAUTIONARY STATEME General: P102 | NTS Keep out of reach | of children. | | |
| Prevention: P280E | Wear protective g | loves. | | |
| Response: P305 + P351 + P338 | present and easy to | nse cautiously with water for seve o do. Continue rinsing. | | ontact lenses, if |
| P333 + P313 Disposal: | If skin irritation of | rash occurs: Get medical advice | e/attention. | |
| P501 | Dispose of conten regulations. | ts/container in accordance with ap | plicable local/regional/n | ational/international |
| 1% of the mixture consists of comp | oonents of unknown | acute oral toxicity. | | |
| Contains 5% of components with u | nknown hazards to | the aquatic environment. | | |

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents. Ingredients required per 648/2004: 5-15%: Anionic surfactant. <5%: Amphoteric surfactant, Non-ionic surfactants. Contains: Perfumes, Colorants, D-limonene, linalool, citronellol, hexyl cinnamal, benzyl alcohol, alpha-isomethyl ionone, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1). Skin and Eye classification based on test data.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | EC No. | REACH Registration No. | % by | Wt | Classification |
|---|------------|-----------|------------------------------|---------|----|--|
| Non-Hazardous Ingredients | Mixture | | | 80 - | 90 | Substance not classified as hazardous |
| Sulphuric acid, mono-C10-16-alkyl esters, sodium salts | 68585-47-7 | 271-557-7 | | 1 - | 5 | Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335 |
| Benzenesulfonic acid, mono-C10-16- alkyl derivs., sodium salts | 68081-81-2 | 268-356-1 | | 1 - | 3 | Aquatic Acute 1, H400; Aquatic Chronic 3, H412 |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | 270-407-8 | | 1 - | 3 | Acute Tox. 4, H302; Eye Dam. 1, H318 |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts | 61789-40-0 | 263-058-8 | | 1 - | 3 | Eye Dam. 1, H318; Aquatic Acute 1, H400,M=1; Aquatic Chronic 2, H411 |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | 68585-34-2 | 500-223-8 | | 1 - | 3 | Skin Irrit. 2, H315; Eye Dam. 1, H318 |
| Sodium Chloride | 7647-14-5 | 231-598-3 | | 1 - | 3 | Substance not classified as hazardous |
| Dodecyldimethylamine oxide | 1643-20-5 | 216-700-6 | | 1 - | 3 | Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1 |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | 55965-84-9 | 911-418-6 | | 0-0.002 | | EUH071; Acute Tox. 3, H301; Skin Corr. 1C, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100 - Nota B Acute Tox. 2, H330; Acute Tox. 2, H310 |

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Rinse skin with large amounts of water. If symptoms persist, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required Net amplicable

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect vented goggles.

Applicable Norms/Standards Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material Polymer laminate Thickness (mm) No data available **Breakthrough Time** No data available

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | |
|--|---|
| Physical state | Liquid. |
| Colour | Bright Yellow |
| Odor | Pleasant Odor, Fruity Odor, Sweet Clean |
| Odour threshold | No data available. |
| рН | 8 - 9.5 |
| Boiling point/boiling range | No data available. |
| Melting point | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Explosive properties | Not classified |
| Oxidising properties | Not classified |
| Flash point | No flash point |
| Autoignition temperature | Not applicable. |
| Flammable Limits(LEL) | Not applicable. |
| Flammable Limits(UEL) | Not applicable. |
| Vapour pressure | No data available. |
| Relative density | 1 [<i>Ref Std</i> :WATER=1] |
| Water solubility | Complete |
| Solubility- non-water | Complete |
| Partition coefficient: n-octanol/water | No data available. |
| Evaporation rate | No data available. |
| Vapour density | No data available. |
| Decomposition temperature | No data available. |
| Viscosity | No data available. |
| Density | 1 g/cm3 |
| . Other information | |
| EU Volatile Organic Compounds | No data available. |

9.2. Molecular weight

Percent volatile

No data available. 87.5 % weight [Test Method: Estimated]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance Carbon monoxide. Carbon dioxide. Irritant vapours or gases. <u>Condition</u> At elevated temperatures. At elevated temperatures. At elevated temperatures.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

| Acute Tox | icity |
|-----------|-------|
|-----------|-------|

| Name | Route | Species | Value |
|---|-----------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Sulphuric acid, mono-C10-16-alkyl esters, sodium salts | Dermal | Rat | LD50 > 2,000 mg/kg |
| Sulphuric acid, mono-C10-16-alkyl esters, sodium salts | Ingestion | Rat | LD50 977 mg/kg |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Dermal | Rat | LD50 > 2,000 mg/kg |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Rat | LD50 578 mg/kg |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Dermal | Rat | LD50 > 2,000 mg/kg |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Ingestion | Rat | LD50 2,870 mg/kg |
| Dodecyldimethylamine oxide | Ingestion | Mouse | LD50 2,700 mg/kg |
| Dodecyldimethylamine oxide | Dermal | Rabbit | LD50 3,536 mg/kg |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Dermal | Rat | LD50 > 2,000 mg/kg |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, | Ingestion | Rat | LD50 > 1,500 mg/kg |

| N-coco acyl derivs., hydroxides, inner salts | | | |
|--|-------------|--------|---------------------|
| Sodium Chloride | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Sodium Chloride | Inhalation- | Rat | LC50 > 10.5 mg/l |
| | Dust/Mist | | |
| | (4 hours) | | |
| Sodium Chloride | Ingestion | Rat | LD50 3,550 mg/kg |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- | Dermal | Rabbit | LD50 87 mg/kg |
| 2H-isothiazol-3-one | | | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- | Inhalation- | Rat | LC50 0.33 mg/l |
| 2H-isothiazol-3-one | Dust/Mist | | |
| | (4 hours) | | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- | Ingestion | Rat | LD50 40 mg/kg |
| 2H-isothiazol-3-one | | | |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| | | |
| Sulphuric acid, mono-C10-16-alkyl esters, sodium salts | Rabbit | Irritant |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Rabbit | Mild irritant |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Rabbit | Irritant |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl | Rabbit | Mild irritant |
| derivs., hydroxides, inner salts | | |
| Sodium Chloride | Rabbit | No significant irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Rabbit | Corrosive |
| one | | |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------|
| | | |
| Sulphuric acid, mono-C10-16-alkyl esters, sodium salts | Rabbit | Corrosive |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Rabbit | Corrosive |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Rabbit | Corrosive |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl | Rabbit | Corrosive |
| derivs., hydroxides, inner salts | | |
| Sodium Chloride | Rabbit | Mild irritant |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Rabbit | Corrosive |
| one | | |

Skin Sensitisation

| Name | Species | Value |
|--|----------|----------------|
| | | |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Guinea | Not classified |
| | pig | |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Guinea | Not classified |
| | pig | |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl | Multiple | Not classified |
| derivs., hydroxides, inner salts | animal | |
| | species | |
| Dodecyldimethylamine oxide | Guinea | Not classified |
| | pig | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human | Sensitising |
| one | and | |
| | animal | |

Photosensitisation

| Name | Species | Value |
|--|---------|-----------------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human | Not sensitising |
| one | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| | | |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | In Vitro | Not mutagenic |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | In Vitro | Not mutagenic |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | In vivo | Not mutagenic |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | In Vitro | Not mutagenic |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | In vivo | Not mutagenic |
| Sodium Chloride | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In vivo | Not mutagenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|-----------|---------|------------------|
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Dermal | Rat | Not carcinogenic |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Rat | Not carcinogenic |
| Sodium Chloride | Ingestion | Rat | Not carcinogenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one | Dermal | Mouse | Not carcinogenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|-----------|--|---------|------------------------|-------------------------|
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Not classified for female reproduction | Rat | NOAEL 871 mg/kg | 2 generation |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Not classified for male reproduction | Rat | NOAEL 891 mg/kg | 2 generation |
| Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Not classified for development | Rabbit | NOAEL 600 mg/kg | during organogenesis |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Ingestion | Not classified for female reproduction | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Ingestion | Not classified for male reproduction | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Ingestion | Not classified for development | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name Route Target Organ(s) Value Species Test result Exposure |
|---|
|---|

| | | | | | | Duration |
|--|------------|------------------------|--|------------------------------|------------------------|----------|
| Sulphuric acid, mono-C10- 16-alkyl esters, sodium salts | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| 1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|-----------|--|--|---------|-----------------------------|----------------------|
| Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts | Ingestion | liver | Not classified | Rat | NOAEL 500 mg/kg/day | 6 months |
| Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 500 mg/kg | 6 months |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Dermal | skin heart endocrine system gastrointestinal tract hematopoietic system liver immune system nervous system eyes kidney and/or bladder respiratory system vascular system | Not classified | Mouse | NOAEL 6.91 mg/day | 90 days |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | Ingestion | blood eyes | Not classified | Rat | NOAEL 225 mg/kg/day | 90 days |
| 1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Ingestion | heart endocrine system hematopoietic system liver nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 92 days |
| Sodium Chloride | Ingestion | blood kidney and/or bladder vascular system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 2,240 mg/kg/day | 9 months |
| Sodium Chloride | Ingestion | nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,700 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | liver respiratory system | Not classified | Rat | NOAEL 33 mg/kg/day | 90 days |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Туре | Exposure | Test endpoint | Test result |
|--|------------|----------------|---|----------|---------------|-------------|
| Sulphuric acid, mono- C10-16-alkyl esters, sodium salts | 68585-47-7 | | Data not available or insufficient for classification | | • | |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | 68585-34-2 | | Data not available or insufficient for classification | | | |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Algae other | Estimated | 96 hours | EC50 | 0.9 mg/l |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Water flea | Estimated | 48 hours | EC50 | 1.62 mg/l |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Zebra Fish | Estimated | 96 hours | LC50 | 0.6 mg/l |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Algae other | Estimated | 96 hours | NOEC | 0.3 mg/l |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Fathead minnow | Estimated | 30 days | NOEC | 1 mg/l |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Water flea | Estimated | 21 days | NOEC | 0.3 mg/l |
| 1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Common Carp | Experimental | 96 hours | LC50 | 1.9 mg/l |
| I-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Green algae | Experimental | 96 hours | EC50 | 0.55 mg/l |
| 1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Water flea | Experimental | 24 hours | EC50 | 1.1 mg/l |
| 1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Green algae | Experimental | 72 hours | NOEC | 0.09 mg/l |
| 1-Propanaminium, 3- amino-N- (carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Water flea | Experimental | 21 days | NOEC | 0.9 mg/l |
| Dodecyldimethylamine oxide | 1643-20-5 | Green algae | Experimental | 72 hours | EC50 | 0.11 mg/l |

| Dodecyldimethylamine oxide | 1643-20-5 | Ricefish | Experimental | 96 hours | LC50 | 30 mg/l |
|---|------------|----------------------|--------------|----------|-----------------------------|--------------|
| oxide | 1643-20-5 | Water flea | Experimental | 48 hours | EC50 | 2.2 mg/l |
| Dodecyldimethylamine oxide | 1643-20-5 | Fathead minnow | Experimental | 302 days | NOEC | 0.42 mg/l |
| Dodecyldimethylamine oxide | 1643-20-5 | Green algae | Experimental | 72 hours | NOEC | 0.0049 mg/l |
| Dodecyldimethylamine oxide | 1643-20-5 | Water flea | Experimental | 21 days | NOEC | 0.36 mg/l |
| Sodium Chloride | 7647-14-5 | Algae other | Experimental | 96 hours | EC50 | 2,430 mg/l |
| Sodium Chloride | 7647-14-5 | Bluegill | Experimental | 96 hours | LC50 | 5,840 mg/l |
| Sodium Chloride | 7647-14-5 | Water flea | Experimental | 48 hours | LC50 | 874 mg/l |
| Sodium Chloride | 7647-14-5 | Fathead minnow | Experimental | 33 days | NOEC | 252 mg/l |
| Sodium Chloride | 7647-14-5 | Water flea | Experimental | 21 days | NOEC | 314 mg/l |
| Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Diatom | Experimental | 72 hours | EC50 | 5.2 mg/l |
| Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Water flea | Experimental | 48 hours | EC50 | 3.48 mg/l |
| Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Zebra Fish | Experimental | 96 hours | LC50 | 2.6 mg/l |
| Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Diatom | Experimental | 72 hours | Effect Concentration 10% | 3.9 mg/l |
| Sulphonic acids, C14- 16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | Water flea | Experimental | 21 days | NOEC | 6.3 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Copepods | Experimental | 48 hours | EC50 | 0.007 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Diatom | Experimental | 72 hours | EC50 | 0.0199 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Green Algae | Experimental | 72 hours | EC50 | 0.027 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |

| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Fathead minnow | Experimental | 36 days | No obs Effect Level | 0.02 mg/l |
|---|------------|----------------|--------------|----------|------------------------|------------|
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Green Algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| Mixture of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl- 2H-isothiazol-3-one | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|-----------------------------------|----------|-----------------------------------|---|--------------------------------------|
| Sulphuric acid, mono-C10- 16-alkyl esters, sodium salts | 68585-47-7 | Experimental Biodegradation | 30 days | BOD | >60 % BOD/ThBOD | OECD 301D - Closed bottle test |
| Alcohols, C10-16, ethoxylated, sulphates, sodium salts | 68585-34-2 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 96-100 | OECD 301E - Modified OECD Scre |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Estimated Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 94 % weight | OECD 301A - DOC Die Away Test |
| 1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 100 %removal of DOC | OECD 301E - Modified OECD Scre |
| Dodecyldimethylamine oxide | 1643-20-5 | Experimental Biodegradation | 28 days | CO2 evolution | 95.27 % weight | OECD 301B - Modified sturm or CO2 |
| Sodium Chloride | 7647-14-5 | Data not availbl- insufficient | | | N/A | |
| Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts | 68439-57-6 | Experimental Biodegradation | 28 days | CO2 evolution | 80 % weight | OECD 301B - Modified sturm or CO2 |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one | 55965-84-9 | Estimated Photolysis | | Photolytic half-life (in air) | 1.2 days (t 1/2) | Other methods |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life | > 60 days (t 1/2) | Other methods |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one | 55965-84-9 | Estimated Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|-------------------------------|----------|---------------------------|-------------|---------------|
| Sulphuric acid, mono-C10- 16-alkyl esters, sodium | 68585-47-7 | Experimental BCF- Carp | | Bioaccumulation factor | ≤73 | Other methods |
| salts Alcohols, C10-16, ethoxylated, sulphates, sodium salts | 68585-34-2 | Experimental BCF- Carp | 72 hours | Bioaccumulation factor | 18 | Other methods |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | Estimated BCF - Fathead Mi | 28 days | Bioaccumulation factor | 245 | |
| 1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco | 61789-40-0 | Estimated Bioconcentration | | Log Kow | 0.69 | Other methods |

| acyl derivs., hydroxides, inner salts | | | | | | |
|--|------------|---|---------|------------------------|------|---|
| Dodecyldimethylamine oxide | 1643-20-5 | Estimated Bioconcentration | | Log Kow | 1.85 | Other methods |
| Sodium Chloride | 7647-14-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Sulphonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts | 68439-57-6 | Estimated Bioconcentration | | Log Kow | -1.3 | Other methods |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | 55965-84-9 | Estimated BCF - Bluegill | 28 days | Bioaccumulation factor | 54 | OECD 305E - Bioaccumulation flow- through fish test |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 29* Detergents containing dangerous substances

SECTION 14: Transportation information

ADR/IATA/IMDG: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH071 | Corrosive to the respiratory tract. |
|--------|---|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

CLP: Ingredient table information was added.

Contains statement for sensitizers information was deleted.

Label: CLP Classification information was modified.

Label: CLP Precautionary - Prevention information was added.

Label: CLP Precautionary - Response information was modified.

List of sensitizers information was deleted.

Section 3: Composition/ Information of ingredients table information was modified.

Section 5: Hazardous combustion products table information was deleted.

Section 09: Color information was added.

Section 09: Odor information was added.

Sections 3 and 9: Odour, colour, grade information information was deleted.

Section 10: Hazardous decomposition or by-products table information was modified.

Section 10: Hazardous decomposition products during combustion text information was deleted.

Section 11: Acute Toxicity table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Reproductive and/or Developmental Effects text information was deleted.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: 13.1. Waste disposal note information was modified.

Section 15: Label remarks and EU Detergent information was modified.

Section 15: Regulations - Inventories information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

Sectio 16: UK disclaimer information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk