

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: APO 60, Sealing Wax (SW) Protection
- · Article number: 22870
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Abrasive and polishing compound
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Menzerna Polishing Compounds GmbH & Co. KG Industriestraße 25 76470 ÖTIGHEIM GERMANY sds@menzerna.com Tel.: +49 (0) 7222 9157-0

· Further information obtainable from: Product and Environmental Safety Department

• 1.4 Emergency telephone number: CHEMTREC: +1 703-741-5970 / 1-800-424-9300 CCN 842438

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Safety data sheet available on request.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture: consisting of the following components.

· Dangerous components:		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (<	10-25%
Reg.nr.: 01-2119457273-39		
	🗞 Asp. Tox. 1, H304	
CAS: 68439-49-6	alcohols, C16-18, ethoxylated	≥0.25-<2.5%
	Aquatic Chronic 2, H411	
Additional information: For the wording of the listed hazard phrases refer to section 16.		
		EU

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

(Contd. of page 1)

Trade name: APO 60, Sealing Wax (SW) Protection

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- Treat according to symptoms.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.





according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

(Contd. of page 2)

page 4)

Page 3/7

Trade name: APO 60, Sealing Wax (SW) Protection

· Storage class: 10

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands:

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn. Recommendation for short-term exposure: Use chemical resistant gloves.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- ≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

• 9.1 Information on basic physical • General Information	and chemical properties	
 Appearance: Form: Colour: Odour: 	Viscous Beige Characteristic	
· Odour threshold: · pH-value at 20 °C (68 °F):	Not determined. 7-10	
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Undetermined. ange: >100 °C (>212 °F)	
· Flash point:	>100 °C (>212 °F)	
		(Contd. on



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

Trade name: APO 60, Sealing Wax (SW) Protection

	(Contd. of page 3)
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: Oxidising properties 	Not determined. Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	1 g/cm³ (8.35 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
 Viscosity: Dynamic: Kinematic at 40 °C (104 °F): 	Not determined. >20.5 mm²/s
 Solvent content: VOC (EC) 9.2 Other information 	10.10 % No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity None under normal conditions.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- CAS: 68439-49-6 alcohols, C16-18, ethoxylated
- Oral LD50 >2,000-<5,000 mg/kg (rat)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.



Safety data sheet according to 1907/2006/EC. Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

Trade name: APO 60, Sealing Wax (SW) Protection

(Contd. of page 4)

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% aromatics)		
LL50 (24h) >1,000 mg/l (fi)		
LL50 (48h) >1,000 mg/l (fi)		
CAS: 68439-49-6 alcohols, C16-18, ethoxylated		
LC50/96h	>1-<10 mg/l (Leuciscus idus)	
EC10	>0.01-0.1 mg/l (al)	
EC50 (3h)	>1-<10 mg/l (al)	
	>1-<10 mg/l (Invertebraten, aquatisch)	
NOEC	>0.01-<0.1 mg/l (daphnia)	
	>0.01-<0.1 mg/l (fi)	

• **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 6)

EU ·

Page 5/7



according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

Trade name: APO 60, Sealing Wax (SW) Protection

(Contd. of page 5)

Page 6/7

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR ADN, IMDG, IATA 	Void Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
· 14.5 Environmental hazards:	Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Regulation 453/2010/EU, REACH as amended.

Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The details of the safety data sheet apply only to the product described in the context of its intended use. The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006.

Relevant phrases

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product and Environmental Safety Department

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)



according to 1907/2006/EC, Article 31

Printing date 22.07.2019

Version number 4

Revision: 22.07.2019

Trade name: APO 60, Sealing Wax (SW) Protection

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * **Data compared to the previous version altered.**

(Contd. of page 6)

EU —