## NANOLEX ULTRA CUT POLISH

**Page:** 1

Compilation date: 30.07.2021

Revision No: 1

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: NANOLEX ULTRA CUT POLISH

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

## 1.3. Details of the supplier of the safety data sheet

Company name: Infinitec GmbH

Matzenberg 171 Saarbrücken D-66115 Germany

Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

# 1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -

24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

# Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-150-3	64742-48-9	-	Asp. Tox. 1: H304; Flam. Liq. 3: H226	10-30%

# NANOLEX ULTRA CUT POLISH

# Page: 2

PARAFFINUM PERLIQUIDU	M		
- 8042-47-5	-	Asp. Tox. 1: H304	1-10%
Section 4: First aid measures	6		
4.1. Description of first aid m	easures		
Skin contact:	Wash immediately with plenty of soap a	and water.	
Eye contact:	Bathe the eye with running water for 15	minutes.	
Ingestion:	Wash out mouth with water.		
Inhalation:	Consult a doctor.		
4.2. Most important symptom	s and effects, both acute and delayed		
Skin contact:	There may be mild irritation at the site of	f contact.	
Eye contact:	There may be irritation and redness.		
Ingestion:	There may be irritation of the throat.		
Inhalation:	No symptoms.		
4.3. Indication of any immedi	ate medical attention and special trea	tment needed	
Immediate / special treatment:	Not applicable.		
Section 5: Fire-fighting meas	ures		
5.1. Extinguishing media			
Extinguishing media:	Suitable extinguishing media for the su	rounding fire should be used. Use wate	sprav
5 5	to cool containers.	5	
5.2. Special hazards arising f	om the substance or mixture		
Exposure hazards:	In combustion emits toxic fumes.		
5.3. Advice for fire-fighters			
Advice for fire-fighters:	Wear self-contained breathing apparate	us. Wear protective clothing to prevent c	ontact
	with skin and eyes.		
Section 6: Accidental release	measures		
6.1. Personal precautions, pr	otective equipment and emergency pr	ocedures	
Personal precautions:	side up to prevent the escape of liquid.	protection details. Turn leaking container	s leak-
6.2. Environmental precautio	15		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for	containment and cleaning up		
Clean-up procedures:	Absorb into dry earth or sand. Transfer	to a closable, labelled salvage contained	r for
	disposal by an appropriate method.		

## NANOLEX ULTRA CUT POLISH

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

#### Hazardous ingredients:

#### PARAFFINUM PERLIQUIDUM

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	92 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	35 mg/cm3	Consumers	Systemic
DNEL	Oral	40 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	160 mg/m3	Workers	Local
DNEL	Dermal	220 mg/kg	Workers	Local
DNEL	Inhalation	160 mg/m3	Workers	Systemic

8.2. Exposure controls

**Respiratory protection:** Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Viscosity: Viscous

#### 9.2. Other information

Other information: No data available.

# NANOLEX ULTRA CUT POLISH

## Section 10: Stability and reactivity

## 10.1. Reactivity

#### Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### PARAFFINUM PERLIQUIDUM

DERMAL	RBT	LD50	2000	mg/kg
GASES	RAT	4H LC50	5000	mg/kg
ORAL	RAT	LD50	5000	mg/kg

#### Excluded hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Serious eye damage/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated

# NANOLEX ULTRA CUT POLISH

## **Page:** 5

Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

#### Section 12: Ecological information

## 12.1. Toxicity

#### Hazardous ingredients:

#### PARAFFINUM PERLIQUIDUM

Daphnia magna	48H EC50	100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1000	mg/l

12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

# NANOLEX ULTRA CUT POLISH

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

# Other information

Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation		
	(EU) 2015/830		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.		
	H304: May be fatal if swallowed and enters airways.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		