

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 1

Compilation date: 03.03.2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NANOLEX GLASS CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Infinitec Gmbh

Taubfeld 18

Saarbrücken

D-66121

Germany

Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -
24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-----------|---------|-----------|--|---------|
| 200-661-7 | 67-63-0 | - | Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336 | 1-10% |

2-BUTOXYETHANOL

| | | | | |
|-----------|----------|---|---|-------|
| 203-905-0 | 111-76-2 | - | Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 | 1-10% |
|-----------|----------|---|---|-------|

DECAMETHYLCYCLOPENTASILOXANE

| | | | | |
|---|----------|---|-------------------------|-------|
| - | 541-02-6 | - | Aquatic Chronic 4: H413 | 1-10% |
|---|----------|---|-------------------------|-------|

COCODIMETHYLAMINOOXIDE

| | | | | |
|---|------------|---|---|-----|
| - | 61788-90-7 | - | Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411; Aquatic Acute 1: H400 | <1% |
|---|------------|---|---|-----|

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|-----------------------|------------------------|------------|--------------|
| UK | 999 mg/m ³ | 1250 mg/m ³ | - | - |

2-BUTOXYETHANOL

| | | | | |
|----|--------|--------|---|---|
| UK | 25 ppm | 50 ppm | - | - |
|----|--------|--------|---|---|

DNEL/PNEC Values

Hazardous ingredients:

PROPAN-2-OL

| Type | Exposure | Value | Population | Effect |
|------|------------------------------------|-----------|------------|----------|
| DNEL | Dermal | 888mg/kg | Workers | Systemic |
| DNEL | Inhalation | 500mg/kg | Workers | Systemic |
| PNEC | Fresh water | 140,9mg/l | - | - |
| PNEC | Marine water | 140,9mg/l | - | - |
| PNEC | Microorganisms in sewage treatment | 2.251mg/l | - | - |
| PNEC | Fresh water sediments | 552mg/kg | - | - |
| PNEC | Marine sediments | 552mg/kg | - | - |
| PNEC | Water | 160mg/kg | - | - |
| PNEC | Soil (agricultural) | 28mg/kg | - | - |

2-BUTOXYETHANOL

| Type | Exposure | Value | Population | Effect |
|------|------------------------------------|------------|------------|----------|
| DNEL | Inhalation | 246 mg/m | Workers | Local |
| DNEL | Inhalation | 89 mg/kg | Workers | Systemic |
| DNEL | Inhalation | 1,091 mg/m | Workers | Systemic |
| DNEL | Inhalation | 125 mg/kg | Workers | Systemic |
| DNEL | Inhalation | 98 mg/m | Workers | Systemic |
| PNEC | Fresh water | 8,8 mg/l | - | - |
| PNEC | Marine water | 0,88 mg/l | - | - |
| PNEC | Microorganisms in sewage treatment | 463 mg/l | - | - |

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 5

| | | | | |
|------|---------------------|------------|---|---|
| PNEC | Soil (agricultural) | 2,33 mg/kg | - | - |
|------|---------------------|------------|---|---|

COCODIMETHYLAMINOXIDE

| Type | Exposure | Value | Population | Effect |
|------|------------------------------------|---------------|------------|----------|
| DNEL | Inhalation | 15,5 | Workers | Systemic |
| DNEL | Dermal | 11 mg/kg | Workers | Systemic |
| DNEL | Inhalation | 3,8 | Consumers | Systemic |
| DNEL | Dermal | 5,5 mg/kg | Consumers | Systemic |
| DNEL | Oral | 0,44 | Consumers | Systemic |
| PNEC | Fresh water | 0,0335 mg/ml | - | - |
| PNEC | Marine water | 0,00335 mg/ml | - | - |
| PNEC | Microorganisms in sewage treatment | 24 mg/ml | - | - |
| PNEC | Fresh water sediments | 1,14 mg/kg | - | - |
| PNEC | Marine sediments | 0,114 mg/kg | - | - |
| PNEC | Soil (agricultural) | 0,906 mg/kg | - | - |
| PNEC | Food chain | 11,1 mg/kg | - | - |

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: Colourless

Odour: Characteristic odour

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

| | | | | |
|-----|-----|------|------|-------|
| IVN | RAT | LD50 | 1088 | mg/kg |
| ORL | MUS | LD50 | 3600 | mg/kg |
| ORL | RAT | LD50 | 5045 | mg/kg |
| SCU | MUS | LDLO | 6 | gm/kg |

2-BUTOXYETHANOL

| | | | | |
|-----|-----|------|------|-------|
| IVN | RAT | LD50 | 307 | mg/kg |
| ORL | MUS | LD50 | 1230 | mg/kg |
| ORL | RAT | LD50 | 470 | mg/kg |

DECAMETHYLCYCLOPENTASILOXANE

| | | | | |
|---------|-----|---------|------|-------|
| DERMAL | RBT | LD50 | 2000 | mg/kg |
| ORAL | RAT | LD50 | 5000 | mg/kg |
| VAPOURS | RAT | 4H LC50 | 8,67 | mg/l |

COCODIMETHYLAMINOXIDE

| | | | | |
|--------|-----|------|----------|-------|
| DERMAL | RBT | LD50 | 300-2000 | mg/kg |
| ORAL | RAT | LD50 | 2000 | mg/kg |

Relevant hazards for product:

| Hazard | Route | Basis |
|-------------------------------|-------|-----------------------|
| Serious eye damage/irritation | OPT | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 7

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PROPAN-2-OL

| | | | |
|------|----------|--------|------|
| FISH | 96H LC50 | 10.000 | mg/l |
|------|----------|--------|------|

COCODIMETHYLAMINOOXIDE

| | | | |
|--|----------|-------|------|
| Daphnia magna | 48H EC50 | 1-10 | mg/l |
| FISH | 96H LC50 | 1-10 | mg/l |
| GREEN ALGA (Selenastrum capricornutum) | 48H EC50 | 0,1-1 | mg/l |

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

[cont...]

SAFETY DATA SHEET
NANOLEX GLASS CLEANER

Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.