# NANOLEX SI3D BC

Page: 1

Compilation date: 02.03.2017

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: NANOLEX SI3D BC

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers.

## 1.3. Details of the supplier of the safety data sheet

Company name: Infinitec Gmbh

Taubfeld 18 Saarbrucken

D-66121

Germany

Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

# 1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -

24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP:	Skin Corr. 1B: H314; STOT SE 3: H335; Asp. Tox. 1: H304; Flam. Liq. 3: H226
Most important adverse effects:	Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes

severe skin burns and eye damage. May cause respiratory irritation.

#### 2.2. Label elements

#### Label elements:

Hazard statements:	H226: Flammable liquid and vapour.	
	H304: May be fatal if swallowed and enters airways.	
	H314: Causes severe skin burns and eye damage.	
	H335: May cause respiratory irritation.	
Hazard pictograms:	GHS02: Flame	
	GHS05: Corrosion	
	GHS07: Exclamation mark	
	GHS08: Health hazard	



# NANOLEX SI3D BC

Signal words:DangerPrecautionary statements:P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition<br/>sources. No smoking.P241: Use explosion-proof electrical/ventilating/lighting/.. equipment.<br/>P260: Do not breathe dust/fumes/gas/mist/vapours/spray.P280: Wear protective gloves/protective clothing/eye protection/face protection.<br/>P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.<br/>P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

# 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

-

# 3.2. Mixtures

## Hazardous ingredients:

LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-150-3	64742-48-9	-	Asp. Tox. 1: H304; Flam. Liq. 3: H226	70-90%

DI-N-BUTYL ETHER

205-575-3	142-96-1	-	Flam. Liq. 3: H226; Eye Irrit. 2: H319;	10-30%
			STOT SE 3: H335; Skin Irrit. 2: H315;	
			Aquatic Chronic 3: H412	

Skin Corr. 1B: H314

# POLYSILAZAN

-

90387-00-1

Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion: Wash out mouth with water. Consult a doctor.		
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a		
	doctor.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be irritation and redness. The eyes may water profusely.	
Ingestion:	There may be soreness and redness of the mouth and throat.	

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

1-10%

Page: 2

# NANOLEX SI3D BC

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises. A decontamination shower should be available on the premises. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

# NANOLEX SI3D BC

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

## **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Viscosity: Non-viscous

Flash point°C: 32

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# NANOLEX SI3D BC

# 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Hazardous ingredients:

# DI-N-BUTYL ETHER

IVN	MUS	LDLO	258	mg/kg
ORL	RAT	LD50	7400	mg/kg

#### **Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

# Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# NANOLEX SI3D BC

Page: 6

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# Section 14: Transport information

# 14.1. UN number

UN number: UN2920

#### 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, FLAMMABLE, N.O.S.

(DI-N-BUTYL ETHER; POLYSILAZAN; LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY)

Marine pollutant: No

14.3. Transport hazard class(es)

Transport class: 8 (3)

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

#### Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# NANOLEX SI3D BC

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

# Other information

Other information:	n: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in S.2 and S.3:	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	
	H335: May cause respiratory irritation.	
	H412: Harmful to aquatic life with long lasting effects.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	