

Product: Natural Look
Revision Date: 2/18/16

# Section 1. Product and Company Identification

Product Name: Natural Look

Recommended Use)s: Leather & vinyl cleaner / conditioner
Non-Recommended /

Restricted Use(s): None

Distributor Poorboy's World UK

**Bretfield Court** 

Dewsbury, WF12 9BG

United Kingdom

Emergency Contact: General: 01924 469920 UK Sales

General: +44 (0) 1924 469920 Overseas

Emergency: 1-352-323-3500 International Emergency Hotline

### Section 2. Hazard Identification

#### **GHS Classification for mixture:**

Serious eye damage/eye irritation - Category 1 Acute Toxicity Oral - Category 5

#### **Pictograms:**



#### **Signal Word:**

#### WARNING

#### Hazard Statements:

H302: Harmful if swallowed

H319: Causes serious eye irritation.

#### **Precautionary Statements:**

#### **Prevention**

P264: Wash skin thouroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P301+P312: IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P330: Rinse mouth.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337+P313P: IF eye irritation persists: Get medical advice/attention.

Date Created: 12/18/2015 Version: 1 Page 1 of 7

P501: Dispose of contents/container to an approved waste disposal plant.

| Section 3. Composition | / Information | on Ingredients |
|------------------------|---------------|----------------|
|------------------------|---------------|----------------|

| Identifiers | Ingredients  | Percentage | Classification   |
|-------------|--|------------|--|
| 160875-66-1 | Poly(oxy-1,2-ethanediyl), alpha-<br>(propylheptyl) | 10% to 20% | Eye irrit1 , Skin irrit2, Acute tox 4,<br>Quatic acute3, Acuatic chronic 3 |
| 56-81-5     | Glycerine  | 10% to 20% | Flam liq4, Eye irrit2  |
| 127087-87-0 | Nonylphenol polyethylene glycol ether              | 1% to 5%   | Eye irrit1 , Skin irrit2, Acute tox 4,<br>Quatic acute3, Acuatic chronic 3 |

### Section 4. First-Aid Measures

### First-Aid: Eyes

Immediately flush with clean, low-pressure water for several minutes. Hold eyelids open to ensure adequate flushing. Remove the contact lenses if worn and easy to do that. Continue rinsing. Seek medical advice / attention.

### First-Aid: Skin

Take off all contaminated clothing and wash it before reuse. Wash contaminated areas thoroughly with water. If redness or other symptoms occur, seek medical advice / attention.

### First-Aid: Ingestion

In case of ingestion of large quantities immediately take the exposed person to hospital. Monitor for breathing difficulties. Small amounts of material which enter the mouth should be rinsed out until the taste is dissipated. Rinse the mouth with water.

#### First-Aid: Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing.

#### First-Aid: Other

**General advice**: In all cases if in doubt or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person. Only induce vomiting at the instruction of a physician.

# Section 5. Fire-Fighting Measures

## Suitable Extinguishing Media

Alcohol-resistant foam. Carbon dioxide. Powder BC. Water spray.

## **Unsuitable Extinguishing Media**

High power water jets.

### **Protective Measures for Fire-Fighting**

Wear protective gloves, clothing, and protective goggles to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

### **Special Protective Actions for Fire-Fighters**

Dike area to prevent runoff and contamination of water sources. Do not allow run-off from fire fighting to enter drains or water courses.

#### **Combustion Products**

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Oxides of nitrogen (NO<sub>x</sub>).

## **Specific Hazards Arising from Combustion of Products**

Version: 1 Page 2 of 7

Explosive when mixed with combustible material.

## Section 6. Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate the people from the area.

#### **Environmental Precautions**

Dike area to prevent runoff and contamination of water sources. Do not discharge into drains or any body of water (rivers, streams, ponds, lakes, etc).

### Clean-up Procedures

Absorb with earth, sand, or other non-combustible material. If possible, dike the area to prevent spreading.

# Section 7. Handling and Storage

### **Precautions for Safe Handling**

Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during handling. Wear protective goggle: or faceshield to prevent contact with eyes.

### Conditions for Safe Storage

Keep container closed when not in use. Respect the occupational health and safety standards. Store in a cool, well ventilated area. Store in accordance with all current regulations and standards.

Conditions to avoid: Frost.

### Suitable Packaging

Always keep in containers made of the same materials as the supply container. Store in original container / packaging.

# Section 8. Exposure Controls / Personal Protection

## Control Parameters / Limits for Component

Glycerine

DNEL/DMEL Worker Oral 229 mg/kg, Systemic effects.

Chronic

**DNEL/DMEL General** 33 mg/m³, Local effects.

Population Inhalation

Chronic

**DNEL/DMEL Worker** 56 mg/m<sup>3</sup>, Local effects.

Inhalation Chronic

**ACGIH** TWA 10 mg/m<sup>3</sup>.

**OSHA PEL** TWA 15 mg/m³ (Total dust).

TWA 5 mg/m³ (Respirable).

# Section 9. Physical and Chemical Properties

# Basic physical and chemical properties Information

**Physical State** liquid cream

Blue **Appearance** 

> Version: 1 Page 3 of 7

Odor Cherry Fragrance Odor threshold Not available

4.5 to 5.5 at 25°C

pH **Melting point** Not available **Boiling point** 100°C / 212°F **Flash Point** Not available Evaporation rate w/r/t ether Not available Evaporation rate w/r/t butyl acetate Not available **Flammability** Not available Flammability limit Not available Vapor pressure 3169 Pa at 25°C Vapor density Not available

Relative density w/r/t water Not available Relative density w/r/t air Not available

Relative density w/r/t other Not available

substance

Freezing point

Solubility Not available Solubility in other solvents Not available **Partition coefficient** Not available **Auto-ignition temperature** 383°C / 721.4°F **Decomposition temperature** Not available **Viscosity** Not available

**Density** 8.27 lb/gal 0.99 g/cm^3

# Section 10. Chemical Stability & Reactivity Information

Not available

# Stability/Reactivity

Chemical stability: This product is stable under ambient condition.

**Reactivity:** The product is known to be non-reactive in ambient conditions.

# Possibility of Hazardous Reactions

Dangerous reactions are not expected if the technical instructions in storage of chemicals are met. Hazardous polymerization will not occur under normal conditions.

#### Conditions to Avoid

Avoid strong shocks.

Keep away from: Direct sunlight.

#### Materials to Avoid

No incompatibilities declared.

### Hazardous Products of Decomposition

Hazardous polymerization does not occur. No decomposition hazardous products are specified. This product is stable under normal storage condition.

> Page 4 of 7 Version: 1

# Section 11. Toxicological Information

### **Toxicological Information for Product**

No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC, OSHA, or the NTP.

### **Toxicological Information for Component**

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

LD 50 Oral 500 mg/kg, Rat. LD 50 Dermal >2000 mg/kg.

Glycerine

**LD 50 Oral** 12600 mg/kg, Rat.

4090 mg/kg, Mouse.

LC 50 Inhalation 570 mg/m³(1h).

**LD 50 Dermal** >10 g/kg.

Nonylphenol polyethylene glycol ether

LD 50 Oral 960-3980 mg/kg, Rat.

LC 50 Inhalation 1150 ppm.

**LD 50 Dermal** 2000-2991 mg/kg, Rabbit.

### Irritation/Corrosion Information for Component

Glycerine

Skin: 500 mg/24h, mild, Draize test, Rabbit. Eye: 126 mg, mild, Draize test, rabbit.

# Section 12. Ecological Information

### **Ecotoxicity Values for Component**

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

EC 50 Crustacean: 10-100 mg/l(48h), Daphnia magna.

LC 50 Fish: 10-100 mg/l(96h). EC 50 Algae: 10-100 mg/l (72h).

Glycerine

LC 50 Fish: 50-67 mg/l LC50 (96 h), Rainbow trout. >5000 mg/l, goldfish.

# Section 13. Disposal Considerations

## Waste Disposal Regulation(s) / Operation

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of national pollutant discharge elimination systems. Whenever possible, reuse containers. To do this, rinse container with water and reuse water for another iteration or treat effluent as product residue as indicated in above. Disposal, treatment, or recycling of industrial waste must comply with applicable regulations to preserve the environment.

# Section 14. Transportation Information

Other

This product is not regulated for transport.

Version: 1 Page 5 of 7

# Section 15. Regulatory Information

## Safety, Health and Environmental Regulations for Component

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

**EUROPE:** European Inventory of Existing Commercial Chemical Substances

(EINECS): listed.

CANADA: Domestic Substances List (DSL): listed.

US: TSCA (Toxic Substances Control Act): listed.

Glycerine

**EUROPE:** European Inventory of Existing Commercial Chemical Substances

(EINECS): listed.

CANADA: DSL: This component is listed on the DSL list.

US: TSCA (Toxic Substances Control Act): listed.

Nonylphenol polyethylene glycol ether

**EUROPE:** European Inventory of Existing Commercial Chemical Substances

(EINECS): listed.

CANADA: Domestic Substances List (DSL): listed.

US: TSCA (Toxic Substances Control Act): listed.

## Section 16. Other Information

## Glossary

ACGIH: American Conference of Governmental Industrial Hygienists.

Acute tox: Acute toxicity.

ADR: Accord europeen relatif au transport international des marchandises dangereuses

par route (European Agreement concerning the International Carriage of Dangerous

Goods by Road).

ATE: Acute Toxicity Estimate.

BCF: BioConcentration Factor.

CAS: Chemical Abstracts Service (Service that maintains the most comprehensive list of

chemical substances).

CEPA: Canadian Environmental Protection Act.

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act.

CLP: Regulation (EC) No 1272/2008 on classification, labeling and packaging of

substances and mixtures.

CMR: Carcinogenic, Mutagenic or toxic for Reproduction.

DMEL: Derived Minimal Effect Level.

DNEL: Derived No-Effect Level.

DOT: Department of Transportation USA.

DSL: Canadian Domestic Substances List.

EC50: Effective concentration of a substance that causes 50% of the maximum response

Date Created: 12/18/2015 Version: 1 Page 6 of 7

ErC50: ErC50 means EC50 in terms of reduction of growth rate after exposure. Damaging

Eye dam: to eyes.

Eye irrit: Irritant to the eye. Flam lig: Flammable liquid.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals"

developed by the United Nations.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.

monographs:

IATA/DGR: Dangerous Goods Regulations (DGR) for the air transport (IATA).

ICAO: International Civil Aviation Organization.

LD50: The dose required to produce the death in 50 percent of the exposed species within

a specified time.

LOAEC: Lowest adverse effects concentrations.

Log KOW: n-octanol/water.

MARPOL: International Convention for the Prevention of Pollution from Ships (abbr. of Marine

Pollutant).

Met corr: Corrosive to metals.

N/A: Not available.
N/D: Not determined.

NDSL: Canadian Non-Domestic Substances List.

NIOSH: National Institute for Occupational Safety and Health.

NOAEL: No-observed-adverse-effect-level.

OSHA: Occupational Safety and Health Administration (United States).

PBT: Persistent, Bioaccumulative and Toxic.

PEL: Permissible exposure limit. An exposure limit that is published and enforced by

OSHA as a legal standard.

PNEC: Predicted No-Effect Concentration.

ppm: Parts per million.

REL: Recommended exposure limit.

RTECS: Registry of Toxic Effects of Chemical Substances.

SARA: Superfund Amendments and Reauthorization Act.

Skin . corr: Corrosive to Skin. Skin irrit: Irritant to Skin.

TSCA: Toxic Substances Control Act.

TWA: Time-weighted average.

UN: United Nations.

vPvB: Very Persistent and Very Bioaccumulative.

WHIMIS: Workplace Hazardous Materials Information System.

Date Created: 12/18/2015 Version: 1 Page 7 of 7