according to Regulation (EC) No 1907/2006

SWISSVAX Pre Cleaner Opaque™ for matt paints

Revision date: 16.08.2018

Product code: 1022012

Page 1 of 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SWISSVAX Pre Cleaner Opaque™ for matt paints

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Polishing agent

1.3. Details of the supplier of the safety data sheet

Company name:	SWISSVAX AG	
Street:	Taemperlistrasse 3	
Place:	CH-8117 Faellanden	
Telephone:	+41 (0) 840 850 850	Telefax: +41 (0) 44 730 4502
e-mail:	sales@swissvax.com	
Contact person:	Claudius Anwander	
e-mail:	claudius.anwander@swissvax.ch	
Internet:	www.swissvax.com	
Responsible Department:	Schweiz. Toxikologisches Information	nszentrum: +41 (0) 44 251 51 51
1.4. Emergency telephone	GB: National Poisons Information Se	ervice (L): +44 (171) 6 35 91 91
numbor		

```
<u>number:</u>
```

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

There is no obligatory labelling requirement according to the Directive covering preparations 1999/45/EC.

2.3. Other hazards

No risks worthy of mention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regu	lation (EC) No. 1272/2008 [CLF	?]	
67-63-0	propan-2-ol; isopropyl alcohol; is	opropanol		1 - < 5 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT S	E 3; H225 H319 H336		
126-92-1	Sodium Octyl Sulfate (and) Sodium Decyl Lulfate			1 - < 5 %
	Skin Irrit. 2, Eye Irrit. 2; H315 H3	19		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

SWISSVAX Pre Cleaner Opaque™ for matt paints

Revision date: 16.08.2018

Product code: 1022012

Page 2 of 4

After contact with skin

In case of skin irritation, consult a physician.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Dry extinguishing powder. Sand.

Unsuitable extinguishing media

Water.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

It is recommended to design all work processes always so that the following is excluded: Eye contact.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Do not store at temperatures under: 5°C. Do not store at temperatures over: 40°C

Further information on storage conditions

Keep locked up and out of the reach of children.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

SWISSVAX Pre Cleaner Opaque™ for matt paints

Revision date: 16.08.2018

Product code: 1022012

Page 3 of 4

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	and chemical properties		
Physical state:	liquid		
Colour:	colourless		
Odour:	characteristic		
pH-Value (at 20 °C):		6.0	
Changes in the physical state			
Flash point:		>150 °C	
Solvent content:		VOC: <3%	

SECTION 10: Stability and reactivity

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Irritation and corrosivity

Not an irritant.

Sensitising effects

no danger of sensitization.

SECTION 12: Ecological information

12.1. Toxicity

Doesn't get into the sewage water as long as the process is carried out according to regulations.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

according to Regulation (EC) No 1907/2006

SWISSVAX Pre Cleaner Opaque™ for matt paints

Revision date: 16.08.2018

Product code: 1022012

Page 4 of 4

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC):

<3%

National regulatory information

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)