TRADITIONAL TYRE DRESSING.

Page: 1

Compilation date: 21/05/2012

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: TRADITIONAL TYRE DRESSING.

Product code: LC243

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Company name: ValetPRO LTD

Unit 18

New Place Farm

Framfield
East Sussex
TN22 5RH

United Kingdom

**Tel:** Tel: +44 (0)1892 277 001 **Email:** greg@valetpro.co.uk

# 1.4. Emergency telephone number

Emergency tel: Tel: +44 (0)1892 277 001

## **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CHIP: Xn: R65

Classification under CLP: Asp. Tox. 1: H304

Most important adverse effects: Harmful: may cause lung damage if swallowed.

### 2.2. Label elements

Label elements under CLP:

**Hazard statements:** H304: May be fatal if swallowed and enters airways.

Signal words: Danger

Hazard pictograms: GHS08: Health hazard



Precautionary statements: P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331: Do NOT induce vomiting.

P405: Store locked up. P501: Dispose of to.

TRADITIONAL TYRE DRESSING.

Page: 2

Label elements under CHIP:

Hazard symbols: Harmful.



**Risk phrases:** R65: Harmful: may cause lung damage if swallowed.

Safety phrases: S62: If swallowed, do not induce vomiting: seek medical advice immediately and show

this container or label.

#### 2.3. Other hazards

**PBT:** This substance is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### **Hazardous ingredients:**

HYDROCARBONS. C13-16. N-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS - REACH registered number (s): 01-2119826592-36-XXXX

EINECS	CAS	CHIP Classification	CLP Classification	Percent
934-954-2	-	Xn: R65	Asp. Tox. 1: H304	70-90%

### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

TRADITIONAL TYRE DRESSING.

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: See section 7 for information on safe handling. See Section 8 for information on

personal protective equipment. See section 13 for disposal information.

# Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage

room must be impermeable to prevent the escape of liquids.

TRADITIONAL TYRE DRESSING.

Page: 4

## 7.3. Specific end use(s)

Specific end use(s): Cleaning Solvent for Printers

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Hazardous ingredients:**

### HYDROCARBONS. C13-16. N-ALKANES, ISOALKANES, CYCLICS, <0.03% AROMATICS

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5mg/m3	10mg/m3	-	-

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be

impermeable to prevent the escape of liquids.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: An environmental assessment must be made to ensure compliance with local

environmental legislation.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Flash point°C: >93

# 9.2. Other information

Other information: Not applicable.

### Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

TRADITIONAL TYRE DRESSING.

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

**Section 11: Toxicological information** 

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information** 

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal

company.

TRADITIONAL TYRE DRESSING.

Page: 6

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H304: May be fatal if swallowed and enters airways.

R65: Harmful: may cause lung damage if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.